

Transforming Mathematics Education

ALGEBRA I

A Learning Cycle Approach

MODULE 7

Structure of Expressions

MATHEMATICS VISION PROJECT, ORG

The Mathematics Vision Project

Scott Hendrickson, Joleigh Honey, Barbara Kuehl, Travis Lemon, Janet Sutorius

© 2016 Mathematics Vision Project All rights reserved.

MODULE 7 - TABLE OF CONTENTS

STRUCTURES OF EXPRESSIONS

7.1 Transformers: Shifty y's - A Develop Understanding Task

Connecting transformations to quadratic functions and parabolas (F.IF.7, F.BF.3)

READY, SET, GO Homework: Structure of Expressions 7.1

7.2 Transformers: More Than Meets the y's - A Solidify Understanding Task

Working with vertex form of a quadratic, connecting the components to transformations (F.IF.7, F.BF.3)

READY, SET, GO Homework: Structure of Expressions 7.2

7.3 Building the Perfect Square - A Develop Understanding Task

Visual and algebraic approaches to completing the square (F.IF.8)

READY, SET, GO Homework: Structure of Expressions 7.3

7.4 A Square Deal- A Solidify Understanding Task

Visual and algebraic approaches to completing the square (F.IF.8)

READY, SET, GO Homework: Structure of Expressions 7.4

7.5 Be There or Be Square- A Practice Understanding Task

Visual and algebraic approaches to completing the square (F.IF.8)

READY, SET, GO Homework: Structure of Expressions 7.5

7.6 Factor Fixin' - A Solidify Understanding Task

Connecting the factored and expanded forms of a quadratic (F.IF.8, F.BF.1, A.SSE.3)

READY, SET, GO Homework: Structure of Expressions 7.6



7.7 The x Factor - A Solidify Understanding Task

Connecting the factored and expanded or standard forms of a quadratic (F.IF.8, F.BF.I, A.SSE.3)

READY, SET, GO Homework: Structure of Expressions 7.7

7.8H The Wow Factor - A Solidify Understanding Task

Connecting the factored and expanded forms of a quadratic when a-value is not equal to one. (F.IF.8, A.SSE.3)

READY, SET, GO Homework: Structure of Expressions 7.8H

7.9 Lining Up Quadratics - A Solidify Understanding Task

Focus on the vertex and intercepts for quadratics (F.IF.8, F.BF.1, A.SSE.3)

READY, SET, GO Homework: Structure of Expressions 7.9

7.10 I've Got a Fill-in - A Practice Understanding Task

Building fluency in rewriting and connecting different forms of a quadratic (F.IF.8, F.BF.I, A.SSE.3)

READY, SET, GO Homework: Structure of Expressions 7.10

7.11 Throwing an Interception - A Develop Understanding Task

Developing the Quadratic Formula as a way for finding x-intercepts and roots of quadratic functions (A.REI.4, A.CED.4)

READY, SET, GO Homework: Solving Quadratic & Other Equations 7.11

7.12 Curbside Rivalry - A Solidify Understanding Task

Examining how different forms of a quadratic expression can facilitate the solving of quadratic equations (A.REI.4, A.REI.7, A.CED.1, A.CED.4)

READY, SET, GO Homework: Solving Quadratic & Other Equations 7.12



7.1 Transformers: Shifty y's

A Develop Understanding Task



Optima Prime is designing a robot quilt for her new grandson. She plans for the robot to have a square face. The amount of fabric that she needs for the face will depend on the area of the face, so Optima decides to model the area of the robot's face mathematically. She knows that the area A of a square with side length x units (which can be inches or centimeters) is modeled by the function, $A(x) = x^2$ square units.

- 1. What is the domain of the function A(x) in this context?
- 2. Match each statement about the area to the function that models it:

Matching Equation	Statement		Function Equation
(A,B, C, or			
D)			
	The length of each side is increased by 5	A)	$A = 5x^2$
	units.		
	The length of each side is multiplied by 5	B)	$A = (x+5)^2$
	units.		
	The area of a square is increased by 5 square	C)	$A = (5x)^2$
	units.		
	The area of a square is multiplied by 5.	D)	$A = x^2 + 5$

Optima started thinking about the graph of $y=x^2$ (in the domain of all real numbers) and wondering about how changes to the equation of the function like adding 5 or multiplying by 5 affect the graph. She decided to make predictions about the effects and then check them out.



3. Predict how the graphs of each of the following equations will be the same or different from the graph of $y = x^2$.

	Similarities to the graph of	Differences from the graph of
	$y = x^2$	$y = x^2$
$y = 5x^2$		
$y = (x+5)^2$		
$y = (5x)^2$		
$y = x^2 + 5$		

4. Optima decided to test her ideas using technology. She thinks that it is always a good idea to start simple, so she decides to go with $y = x^2 + 5$. She graphs it along with $y = x^2$ in the same window. Test it yourself and describe what you find.

5. Knowing that things make a lot more sense with more representations, Optima tries a few more examples like $y = x^2 + 2$ and $y = x^2 - 3$, looking at both a table and a graph for each. What conclusion would you draw about the effect of adding or subtracting a number to $y = x^2$? Carefully record the tables and graphs of these examples in your notebook and explain why your conclusion would be true for any value of k, given, $y = x^2 + k$.

ALGEBRAI// MODULE 7

STRUCTURES OF EXPRESSIONS - 7.1

6. After her amazing success with addition in the last problem, Optima decided to look at what happens with addition and subtraction inside the parentheses, or as she says it, "adding to the x before it gets squared". Using your technology, decide the effect of h in the equations: $y = (x + h)^2$ and $y = (x - h)^2$. (Choose some specific numbers for h.) Record a few examples (both tables and graphs) in your notebook and explain why this effect on the graph occurs.

7. Optima thought that #6 was very tricky and hoped that multiplication was going to be more straightforward. She decides to start simple and multiply by -1, so she begins with $y = -x^2$. Predict what the effect is on the graph and then test it. Why does it have this effect?

8. Optima is encouraged because that one was easy. She decides to end her investigation for the day by determining the effect of a multiplier, a, in the equation: $y = ax^2$. Using both positive and negative numbers, fractions and integers, create at least 4 tables and matching graphs to determine the effect of a multiplier.



7.1 Transformers: Shifty y's - Teacher Notes

A Develop Understanding Task

Special Note to Teachers: Graphing technology is required for this task.

Purpose: The purpose of this task is to develop understanding of the effect on the graph of a quadratic function of replacing f(x) by f(x) + k, kf(x), f(kx) and f(x + k). The task begins with a brief story context to anchor student thinking about the effect of changing parameters on the graph. Students use technology to investigate the graphs, create tables and generalize about the transformations of quadratic functions.

Core Standards Focus:

F-IF.7 Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology for more complicated cases.

a. Graph linear and quadratic functions and show intercepts, maxima, and minima.

F-BF.3 Identify the effect on the graph of replacing f(x) by f(x) + k, kf(x), f(kx) and f(x + k) for specific values of k (both positive and negative); find the value of k given the graphs. Experiment with cases and illustrate an explanation of the effects on the graph using technology.

Standards for Mathematical Practice:

SMP 5 - Use appropriate tools strategically

SMP 7 - Look for and make use of structure

The Teaching Cycle:

Launch (Whole Class):

Begin the task by asking students how to calculate the area of a square with a side of length 2. Use this short example to introduce the context given at the beginning of the task, and that the area of a square is a quadratic function of the length of a side of the square. Ask students to use the context to think about the answers to question 1 and 2, encouraging the use of drawings to show how the change in parameters actually changes the given square. Give them a short time to work on their own, and then discuss each of the answers, sharing reasoning about whether the change is to the length of the side or directly to area. Help students notice that if 5 is added or multiplied by the



length of a side, then the units of the 5 are linear units (like inches or feet). If 5 is multiplied or added to the area, the units of the 5 are square units (like square inches or square feet). It is also useful to notice that if the 5 is "applied" to the length of the side, it is inside the argument of the function. If the 5 is "applied" to the area it is outside the square function.

Matching	Statement	Function Equation
Equation		
(A,B, C, or D)		
В	The length of any given side is increased by	$A = 5x^2$
	5 units.	
С	The length of any given side is multiplied	$A = (x+5)^2$
	by 5 units.	
D	The area of a square is increased by 5	$A = (5x)^2$
	square units.	
A	The area of a square is multiplied by 5.	$A = x^2 + 5$

Ask students to make predictions about the changes in the graphs. Although the domain of the area context is $(0,\infty)$, they should think about the entire domain of the function for the remainder of the task. If students have not used the technology that they will be employing for the remainder of the task before, it is important to be sure that they can obtain graphs and find appropriate viewing windows before they proceed.

Explore (Small Group):

Monitor students as they work to ensure that they are able to get appropriate graphs and draw conclusions from the graphs. This is a chance to experiment mathematically, so students should have fun with testing their predictions and explaining their results. Watch for students that are relating the numeric results in the tables to the graphs to help explain why the graphs are transformed as they are. Listen particularly for explanations of why the horizontal shifts are the opposite sign of the parameter so that the reasoning can be used in the discussion.



Discuss (Whole Class):

When students have completed their investigation, go through each question 4-8. Ask students to relate their tables to the graphs and explain why their conclusions make sense in each case. Some important points to highlight for each question are:

Questions 4 and 5: Use the context to bring out the idea that the area (or the result of squaring) is the y-value or height of the graph. It should make sense that adding a number, k, to each area (or y-value) will shift the graph up k units. Ask students what happens if k is negative.

Question 6: Although students will probably be able to see that for k > 0, x + k shifts the function to the left and x - k shifts the function to the right, this is generally much harder to explain. Help students to draw upon the tables to compare values and articulate something like, "if you add 5 to the length of the side, then the area that you will get at x = 1 is the area that would have been at x = 6. That's why adding 5 shifts the graph 5 units to the left." Another easy explanation is that if 5 units are added to x, then everything happens 5 units sooner. So, what would happen at 0 is now happening at -5, what was happening at 1 is now happening 5 units sooner, at -4, and so on. It is also helpful to solidify the common use of the notation $f(x) = (x - k)^2$ to represent both x + k and x - k, with the shift depending of the sign of k.

Question 7: This should be an easy one to explain based on either the table or the context. If you change the sign of the every output (or multiply by -1), it will create a maximum where the minimum was previously, and change the intervals that were increasing to decreasing and vice-versa.

Question 8: Students will probably notice that multiplying by a whole number makes the parabola "skinnier" and multiplying by a fraction makes the parabola wider. This may seem a little counter-intuitive until they connect to the tables and think that a multiplier of 3 multiplies each output, making the curve decrease and increase three times faster. It will be very useful for later tasks to establish that the graph of the parent function, $y = x^2$ starts at the vertex (0,0) and then counts: over 1, up 1, over 2, up 4, over 3, up 9 and repeats on the other side of the line of symmetry, x = 0. A multiplier multiplies the outputs, so the graph of $y = 2x^2$ will start at the vertex (0,0) and count: over 1, up 2, over 2, up 8, over 3 up 18 and



ALGEBRA I // MODULE 7 STRUCTURES OF EXPRESSIONS - 7.1

so on. Beginning the practice of counting three points on either side of the line of symmetry will help students build fluency in quickly graphing parabolas for later work.

Aligned Ready, Set, Go: Quadratic Functions 7.1



READY, SET, GO!

Name

Period


Date

READY


Topic: Finding key features in the graph of a quadratic equation

Make a point on the vertex and draw a dotted line for the axis of symmetry. Label the coordinates of the vertex and state whether it's a maximum or a minimum. Write the equation for the axis of symmetry.


1.




2.




3.




4.




5.



6.



- 7. What connection exists between the coordinates of the vertex and the equation of the axis of symmetry?
- 8. Look back at #6. Try to find a way to find the exact value of the coordinates of the vertex. Test your method with each vertex in 1 5. Explain your conjecture.
- 9. How many x-intercepts can a parabola have?
- 10. Sketch a parabola that has no x-intercepts, then explain what has to happen for a parabola to have no x-intercepts.



Need help? Visit www.rsgsupport.org

4

SET

Topic: Transformations on quadratics

Matching: Choose the area model that is the best match for the equation.


11.
$$x^2 + 4$$

$$_{1}$$
2. $(x + 4)^{2}$


$$_{1}$$
13. $(4x)^{2}$

14.
$$4x^2$$


a.




b.



c.



d.



A table of values and the graph for $f(x) = x^2$ is given. Compare the values in the table for g(x) to those for f(x). Identify what stays the same and what changes. a) Use this information to write the vertex form of the equation of g(x). b) Graph g(x). c) Describe how the graph changed from the graph of f(x). Use words such as right, left, up, and down. d) Answer the question.


	7	
	6	
	-5	
	4	
	3	
	-2	
	-1/	
3 -2 -1	1 2 3	,
	1	
	2	

X	-3	-2	-1	0	1	2	3
$f(x) = x^2$	9	4	1	0	1	4	9

15 a) g(x) =

Ī	X	-3	-2	-1	0	1	2	3
9	g(x)	2	-3	-6	-7	-6	-3	2

b)



- c) In what way did the graph move?
- d) What part of the equation indicates this move?


Need help? Visit www.rsgsupport.org

Mathematics Vision Project


Licensed under the Creative Commons Attribution CC BY 4.0

16 a)
$$g(x) =$$
 b)

X	-3	-2	-1	0	1	2	3
g(x)	11	6	3	2	3	6	11




d) What part of the equation indicates this move?



17 a)
$$g(x) =$$

Χ	-4	-3	-2	-1	0	1	2
g(x)	9	4	1	0	1	4	9


- c) In what way did the graph move?
- d) What part of the equation indicates this move?



18 a)
$$g(x) =$$

X	0	1	2	3	4	5	6
g(x)	9	4	1	0	1	4	9

- c) In what way did the graph move?
- d) What part of the equation indicates this move?



GO

Topic: Finding Square Roots Simplify the following expressions

19.
$$\sqrt{49a^2b^6}$$

20.
$$\sqrt{(x+13)^2}$$

21.
$$\sqrt{(x-16)^2}$$

b)

b)

22.
$$\sqrt{(36x+25)^2}$$

23.
$$\sqrt{(11x-7)^2}$$

24.
$$\sqrt{9m^2(2p^3-q)^2}$$

6

7.2 Transformers: More Than Meets the y's

A Solidify Understanding Task


Write the equation for each problem below. Use a second representation to check your equation.

1. The area of a square with side length *x*, where the side length is decreased by 3, the area is multiplied by 2 and then 4 square units are added to the area.



CC BY Robin Zebrowski https://flic.kr/p/EHyap

2.




ALGEBRA I // MODULE 7 STRUCTURES OF EXPRESSIONS - 7.2

3		
≺ .		

X	f(x)
-4	7
-3	2
-2	-1
-1	-2
0	-1
1	2
2	7
3	14
4	23

4.



ALGEBRA I // MODULE 7

STRUCTURES OF EXPRESSIONS - 7.2

Graph each equation without using technology. Be sure to have the exact vertex and at least two correct points on either side of the line of symmetry.

5.
$$f(x) = -x^2 + 3$$

6.
$$g(x) = (x+2)^2 - 5$$

7.
$$h(x) = 3(x-1)^2 + 2$$

8. Given:
$$f(x) = a(x - h)^2 + k$$

- a. What point is the vertex of the parabola?
- b. What is the equation of the line of symmetry?
- c. How can you tell if the parabola opens up or down?
- d. How do you identify the dilation?
- 9. Does it matter in which order the transformations are done? Explain why or why not.

7.2 Transformers: More Thank Meets the y's – Teacher Notes

A Solidify Understanding Task

Purpose: The purpose of this task is to extend student understanding of the transformation of quadratic functions to include combinations of vertical stretches, reflections over the *x*-axis, and vertical and horizontal shifts. Students will write equations given story contexts, graphs, and tables. They will use their knowledge of transformations to graph equations and then they will apply their understanding to a general formula for the graph of a quadratic function in vertex form.

Core Standards Focus:

F-IF.7 Graph functions expressed symbolically and show key features of the graph, by hand in simple cases and using technology for more complicated cases.

a. Graph linear and quadratic functions and show intercepts, maxima, and minima.

F-BF.3 Identify the effect on the graph of replacing f(x) by f(x) + k, kf(x), f(kx) and f(x+k) for specific values of k (both positive and negative); find the value of k given the graphs. Experiment with cases and illustrate an explanation of the effects on the graph using technology.

Standards for Mathematical Practice:

SMP 7 - Look for and make use of structure

SMP 8 - Look for and express regularity in repeated reasoning

The Teaching Cycle:

Launch (Whole Class):

Begin class by reminding students of the work they did in "Transformers: Shifty y's". Give the following equations and ask how each equation is a transformation of the parent function,

$$f(x)=x^2$$
:

a)
$$f(x) = x^2 - 3$$

b)
$$f(x) = 3x^2$$



ALGEBRA I // MODULE 7

STRUCTURES OF EXPRESSIONS - 7.2

c)
$$f(x) = \frac{1}{3}x^2$$

d)
$$f(x) = (x-3)^2$$

Ask what equation they could write that would reflect the graph over the x-axis and what equation they could write that would shift the graph to the left 3.

Tell students that in the work today they will be combining these transformations and using them to write equations and find the graph of quadratic functions. For questions 1 – 4, they should write an equation and then use the equation to create another representation to check their work. For instance, on #2, they are given a graph. They should write an equation, use it to create a table of values and then check to see that the table and the graph match up.

Explore (Small Group):

Monitor students as they work to be sure that they are entering the problem successfully. Because students are probably not yet solid on the graph of $f(x) = x^2$, they may need to start by creating a table and graph of f(x) and using it to compare to the function given in the problem. This may help them to identify the transformations and write the equation. If they are stuck on problems 5-7, they may need to start with a table. Listen for students that have productive comments to share for the discussion of questions 8 and 9.

Discuss (Whole Class):

Start the discussion with students presenting their work for problems 2 and 3. In each case, have a student identify what transformations have been made to the graph of $f(x) = x^2$ and then explain how they appear in the equation.

Move the discussion to the questions 5, 6, and 7. Have the students that present their work for each problem start by identifying the transformations from the equations and then build the graph. Have at least one of the students show a table along with the graph to demonstrate how the



ALGEBRA I // MODULE 7

STRUCTURES OF EXPRESSIONS - 7.2

transformations appear in the table, as well as the graph. After each graph is presented, ask the

class to identify:

a. The maximum or minimum point of the graph (the vertex):

b. Intervals on which the function is increasing or decreasing.

c. The domain and range of the function.

d. The equation of the line of symmetry.

This will lead students to generalize their experiences with questions 5-7 to answer question #8.

Discuss the use of the formula and check for understanding with a couple of examples like:

$$f(x) = -2(x+3)^2 + 7.$$

Turn the discussion to question #9. Use student comments from the exploration to explain that if a

function has multiple transformations, they are applied starting from the inside and working

outward, in the following order:

1. Horizontal translation

2. Reflection, stretching, shrinking

3. Vertical Translation.

Close the discussion with a quick practice of accurately graphing quadratic functions from the

equation. Model quickly identifying the location of the vertex, drawing the line of symmetry,

deciding if it opens up or down and then counting the points: over 1, up 1×a, over 2, up 4×a, over 3,

up 9×a, etc. Establish a routine of beginning the class period with using this method to quickly and

accurately graph a few quadratic functions each day for the next few days to build fluency.

Aligned Ready, Set, Go: Quadratic Functions 7.2



READY, SET, GO!

Name

Period

Date

READY

Topic: Standard form of quadratic equations

The standard form of a quadratic equation is defined as $y = ax^2 + bx + c$, $(a \ne 0)$. Identify a, b, and c in the following equations.

Example: Given $4x^2 + 7x - 6$, a = 4, b = 7, and c = -6

1.
$$y = 5x^2 + 3x + 6$$

2.
$$y = x^2 - 7x + 3$$

3.
$$y = -2x^2 + 3x$$

4.
$$y = 6x^2 - 5$$

5.
$$y = -3x^2 + 4x$$

6.
$$y = 8x^2 - 5x - 2$$

Multiply and write each product in the form $y = ax^2 + bx + c$. Then identify a, b, and c.

7.
$$y = x(x - 4)$$

8.
$$y = (x-1)(2x-1)$$
 9. $y = (3x-2)(3x+2)$

9.
$$y = (3x - 2)(3x + 2)$$

10.
$$y = (x + 6)(x + 6)$$
 11. $y = (x - 3)^2$ 12. $y = -(x + 5)^2$

11.
$$y = (x - 3)^2$$


12.
$$v = -(x+5)^2$$

SET

Topic: Graphing a standard y=x² parabola

13. Graph the equation $y = x^2$.

Include at least 3 accurate points on each side of the axis of symmetry.



a. State the vertex of the parabola.

b. Complete the table of values for $y = x^2$.

b. dompiete th		
x	f(x)	
-3		
-2		
-1		
0		
1		
2		
3		

Topic: Writing the equation of a transformed parabola in vertex form.

Find a value for ω such that the graph will have the specified number of x-intercepts.

14.
$$y = x^2 + \omega$$

15.
$$y = x^2 + \omega$$

16.
$$y = x^2 + \omega$$

17.
$$y = -x^2 + \omega$$

18.
$$y = -x^2 + \omega$$

19.
$$y = -x^2 + \omega$$


2 (x-intercepts)


Graph the following equations. State the vertex. (Be accurate with your key points and shape!)


20.
$$y = (x - 1)^2$$

21.
$$y = (x - 1)^2 + 1$$

22.
$$y = 2(x-1)^2 + 1$$








Vertex? _____

Vertex?


Vertex?

Need help? Visit www.rsgsupport.org


23.
$$y = (x + 3)^2$$



24.
$$y = -(x+3)^2 - 4$$



25.
$$y = -0.5(x + 1)^2 + 4$$



Vertex?

Vertex?

Vertex? _____

GO

Topic: Features of Parabolas

Use the table to identify the vertex, the equation for the axis of symmetry (AoS), and state the number of x-intercept(s) the parabola will have, if any. State whether the vertex will be a minimum or a maximum.

26.	Χ	у
	-4	10
	-3	3
	-2	-2
	-1	-5
	0	-6
	1	-5
	2	-2

a. Vertex: _____

a. Vertex: _____

a. Vertex: _____

a. Vertex: _____

b. AoS: _____

b. AoS: _____ b. AoS: ____

c. x-int(s): _____ c. x-int(s): ____ c. x-int(s): ____

d. MIN or MAX

d. MIN or MAX d. MIN or MAX


d. MIN or MAX

12

7.3 Building the Perfect Square

A Develop Understanding Task

by making bigger squares or smaller squares.




Quadratic Quilts

Optima has a quilt shop where she sells many colorful quilt blocks for people who want to make their own quilts. She has quilt designs that are made so that they can be sized to fit any bed. She bases her designs on quilt squares that can vary in size, so she calls the length of the side for the basic square x, and the area of the basic square is the function $A(x) = x^2$. In this way, she can customize the designs

1. If Optima adds 3 inches to the side of the square, what is the area of the square?

When Optima draws a pattern for the square in problem #1, it looks like this:



2. Use both the diagram and the equation, $A(x) = (x + 3)^2$ to explain why the area of the quilt block square, A(x), is also equal to $x^2 + 6x + 9$.

ALGEBRA I // MODULE 7 STRUCTURES OF EXPRESSIONS - 7.3

The customer service representatives at Optima's shop work with customer orders and write up the orders based on the area of the fabric needed for the order. As you can see from problem #2 there are two ways that customers can call in and describe the area of the quilt block. One way describes the length of the sides of the block and the other way describes the areas of each of the four sections of the block.

For each of the following quilt blocks, draw the diagram of the block and write two equivalent equations for the area of the block.

- 3. Block with side length: x + 2.
- 4. Block with side length: x + 1.
- 5. What patterns do you notice when you relate the diagrams to the two expressions for the area?
- 6. Optima likes to have her little dog, Clementine, around the shop. One day the dog got a little hungry and started to chew up the orders. When Optima found the orders, one of them was so chewed up that there were only partial expressions for the area remaining. Help Optima by completing each of the following expressions for the area so that they describe a perfect square. Then, write the two equivalent equations for the area of the square.

a.
$$x^2 + 4x$$

b.
$$x^2 + 6x$$



ALGEBRAI// MODULE 7

STRUCTURES OF EXPRESSIONS - 7.3

c.
$$x^2 + 8x$$

d.
$$x^2 + 12x$$

7. If $x^2 + bx + c$ is a perfect square, what is the relationship between b and c? How do you use b to find c, like in problem 6?

Will this strategy work if *b* is negative? Why or why not?

Will the strategy work if *b* is an odd number? What happens to *c* if *b* is odd?



7.3 Building the Perfect Square – Teacher Notes A Develop Understanding Task

Purpose: The purpose of this task is to develop students' understanding of the procedure of completing the square using area models. In the task, students will use diagrams of area models to make sense of the terms in a perfect square trinomial and discover the relationship between coefficients of a quadratic expression. They will use this understanding to complete the square to find equivalent forms of quadratic expressions. In this task, the quadratic expressions will be limited to those in which the coefficient of the x^2 term is 1. This task is the beginning of a learning cycle that ends in students using the completing the square procedure to find the vertex form of a quadratic function and graph the associated parabola.

Core Standards Focus:

F-IF.8 Write a function defined by an expression in different but equivalent forms to reveal and explain different properties of the function.

a. Use the process of factoring and completing the square in a quadratic function to show zeros, extreme values, and symmetry of the graph, and interpret these in terms of a context.

Standards for Mathematical Practice:

SMP 2 - Reason abstractly and quantitatively

SMP 7 - Look for and make use of structure

The Teaching Cycle:

Launch (Whole Class):

Begin the task by reading through the initial context. Ask students what the area would be if the base square was 1, 2, and 3. Ask them to work on question 1 and check that the class understands that the area function would be $A(x) = (x+3)^2$. Let students spend a few minutes working individually to answer question #2 and then ask students to explain their thinking. Reinforce the idea that x + 3 represents the length of a side, and so the units would be inches. The expression, $(x + 3)^2$, represents an area, and so the units would be square inches. Ask students



to test a few numbers for *x* to verify the squaring relationship with numbers. Use both the equation and a diagram to show that the area model is a way to see the distributive property, both for variables and for numbers.

Explore (Small Group):


Let students work on drawing the diagrams and completing the task. Ensure that students are connecting the diagrams to the algebraic expressions. Listen for their reasoning and encourage them to make generalizations that can be used in the later part of the task.

Discuss (Whole Class):

Begin with problem #6 and ask a student to present the diagram that he/she made and the equations that he/she wrote. Ask for students to explain how they set up the diagram and especially how they figured out how many small squares to fill in. Label both the sides of the diagram and the different portions of the area. Relate the diagram to the equations.

Diagram and equation(s) for part a):

$$A(x) = (x + 2)^2 = x^2 + 4x + 4$$



Depending on how students are responding, you may wish to continue to drawing the diagrams and looking for patterns in the expressions. When students have articulated the idea that the number of blocks in the small square is obtained by taking half of the coefficient of the x term and squaring it, go to question #8. Ask for their generalizations in words, and then be sure that the ideas are recorded algebraically. For instance, if a student says, "To get c, you take half of b and then square it," be sure to model writing:

$$\left(\frac{b}{2}\right)^2$$



ALGEBRA I // MODULE 7 STRUCTURES OF EXPRESSIONS - 7.3

Be sure that students are solid on the relationship between b and c before moving on. Tell students that they will be applying these ideas to their work in upcoming tasks.

Aligned Ready, Set, Go: Quadratic Functions 7.3



READY, SET, GO!

Name

Period


Date

READY


Topic: Graphing lines using the intercepts

Find the x-intercept and the y-intercept. Then graph the equation.


1.
$$3x + 2y = 12$$




2.
$$8x - 12y = -24$$




3.
$$3x - 7y = 21$$




4.
$$5x - 10y = 20$$



5.
$$2y = 6x - 18$$



6.
$$y = -6x + 6$$



SET

Topic: Completing the square by paying attention to the parts

Multiply. Show each step. Circle the pair of <u>like terms</u> before you simplify to a trinomial.

7.
$$(x+5)(x+5)$$

7.
$$(x+5)(x+5)$$
 8. $(3x+7)(3x+7)$ 9. $(9x+1)^2$ 10. $(4x+11)^2$

9.
$$(9x + 1)^2$$

10.
$$(4x + 11)^2$$

11. Write a rule for finding the coefficient "B" of the x-term (the middle term) when multiplying and simplifying $(ax + q)^2$.

In problems 12 - 17,

- (a) Fill in the number that completes the square.
- (b) Then write the trinomial as the product of two factors.

12. a)
$$x^2 + 8x + _{---}$$

13. a)
$$x^2 + 10x + ____$$
 14. a) $x^2 + 16x + ____$

14. a)
$$x^2 + 16x +$$

b)

15. a)
$$x^2 + 6x +$$

16. a)
$$x^2 + 22x +$$
 17. a) $x^2 + 18x +$

17. a)
$$x^2 + 18x +$$

In problems 18 - 26,

- (a) Find the value of "B," that will make a perfect square trinomial.
- (b) Then write the trinomial as a product of two factors.

18.
$$x^2 + Bx + 16$$

a)

21.
$$x^2 + Bx + 225$$

a)

24.
$$x^2 + Bx + \frac{25}{4}$$

a) b)

19.
$$x^2 + Bx + 121$$

a)

b)
$$22. x^2 + Bx + 49$$

b) 25. $x^2 + Bx + \frac{9}{4}$

b)

$$20. x^2 + Bx + 625$$

a)

b)

23.
$$x^2 + Bx + 169$$

b)

26.
$$x^2 + Bx + \frac{49}{4}$$

a) b)

GO

Topic: Features of horizontal and vertical lines

Find the intercepts of the graph of each equation. State whether it's an x- or y- intercept.

27.
$$y = -4.5$$

28.
$$x = 9.5$$

29.
$$x = -8.2$$

30.
$$y = 112$$

Need help? Visit www.rsgsupport.org

7.4 A Square Deal

A Solidify Understanding Task





CC BY David Amsler https://flic.kr/p/d7Lap7

Quadratic Quilts, Revisited

Remember Optima's quilt shop? She bases her designs on quilt squares that can vary in size, so she calls the length of the side for the basic square x, and the area of the basic square is the function $A(x) = x^2$. In this way, she can customize the designs by making bigger squares or smaller squares.

- 1. Sometimes a customer orders more than one quilt block of a given size. For instance, when a customer orders 4 blocks of the basic size, the customer service representatives write up an order for $A(x) = 4x^2$. Model this area expression with a diagram.
- 2. One of the customer service representatives finds an envelope that contains the blocks pictured below. Write the order that shows two equivalent equations for the area of the blocks.





ALGEBRAI// MODULE 7

STRUCTURES OF EXPRESSIONS - 7.4

3. What equations for the area could customer service write if they received an order for 2 blocks that are squares and have both dimensions increased by 1 inch in comparison to the basic block? Write the area equations in two equivalent forms. Verify your algebra using a diagram.

4. If customer service receives an order for 3 blocks that are each squares with both dimensions increased by 2 inches in comparison to the basic block? Again, show 2 different equations for the area and verify your work with a model.

5. Clementine is at it again! When is that dog going to learn not to chew up the orders? (She also chews Optima's shoes, but that's a story for another day.) Here are some of the orders that have been chewed up so they are missing the last term. Help Optima by completing each of the following expressions for the area so that they describe a perfect square. Then, write the two equivalent equations for the area of the square.


$$2x^2 + 8x$$

$$3x^2 + 24x$$




Sometimes the quilt shop gets an order that turns out not to be more or less than a perfect square. Customer service always tries to fill orders with perfect squares, or at least, they start there and then adjust as needed. They always write their equations in a way that relates the area to the closest perfect square.

6. Now here's a real mess! Customer service received an order for an area $A(x) = 2x^2 + 12x + 13$. Help them to figure out an equivalent expression for the area using the diagram.



7. Optima really needs to get organized. Here's another scrambled diagram. Write two equivalent equations for the area of this diagram:



© 2017 Mathematics Vision Project All Rights Reserved for the Additions and Enhancements mathematicsvisionproject.org



ALGEBRAI// MODULE 7

STRUCTURES OF EXPRESSIONS - 7.4

8. Optima realized that not everyone is in need of perfect squares and not all orders are coming in as expressions that are perfect squares. Determine whether or not each expression below is a perfect square. Explain why the expression is or is not a perfect square. If it is not a perfect square, find the perfect square that seems "closest" to the given expression and show how the perfect square can be adjusted to be the given expression.

A.
$$A(x) = x^2 + 6x + 13$$

B.
$$A(x) = x^2 - 8x + 16$$

C.
$$A(x) = x^2 - 10x - 3$$

D.
$$A(x) = 2x^2 + 8x + 14$$

E.
$$A(x) = 3x^2 - 30x + 75$$

F.
$$A(x) = 2x^2 - 22x + 11$$

9. Now let's generalize. Given an expression in the form $ax^2 + bx + c$ ($a \ne 0$), describe a step-by-step process for completing the square.

7.4 A Square Deal - Teacher Notes

A Solidify Understanding Task

Purpose: The purpose of this task is to extend students' understanding of the procedure of completing the square using area models by introducing situations in which the coefficient of the x^2 term is not 1. In the task, students will use area models to represent expressions in the form $ax^2 + bx + c$ and to generalize and apply the process of completing the square to several examples.

Core Standards Focus:

F.IF.8 Write a function defined by an expression in different but equivalent forms to reveal and explain different properties of the function.

a. Use the process of factoring and completing the square in a quadratic function to show zeros, extreme values, and symmetry of the graph, and interpret these in terms of a context.

Standards for Mathematical Practice:

SMP 1 - Make sense of problems and persevere in solving them

SMP 7 - Look for and make use of structure

The Teaching Cycle:

Launch:

Begin the task by asking students to do questions #1 and #2 individually. Discuss their strategies with the whole class so that all students know how to use the model to represent the algebraic expression when more the one square is involved. Ask students to notice similarities with the work that they have done in "Building a Perfect Square".

Explore:

Monitor students as they are working to see that they are connecting their diagrams to the algebraic expressions. Listen for students that are describing steps in the algebraic procedure of completing the square as they think about the diagrams. As students progress to #6 and #7 make



ALGEBRAI// MODULE7

STRUCTURES OF EXPRESSIONS - 7.4

sure that they understand that the blocks given may not be perfect squares and they need to find

expressions that show the perfect squares and whatever pieces are additional or missing.

Discuss:

Begin the discussion with students explaining their thinking about #6. Have students show how

they re-arranged the blocks in the diagram and how the diagram connects with the algebraic

expression. Be sure that students describe the following ideas:

• The coefficient of the x^2 term describes the number of blocks

• The coefficient of the *x* term has to be divided evenly between the blocks and then split with

half going on either side of the x^2 block.

• The small squares are "set aside" until they are used to fill in the square and then the extras

or missing squares are counted.

Ask several students to share their work on some of the problems in #8a-f. Help students to

generalize the work so that the algebraic procedure is clarified. Discuss #9. By the end of the

discussion the class should have arrived at a verbal procedure for completing the square

Aligned Ready, Set, Go: Quadratic Functions 7.4



READY, SET, GO!

Name

Period


Date

READY


Topic: Find y-intercepts in parabolas

State the y-intercept for each of the graphs. Then match the graph with its equation.


1.




2.




3.




4.



5.



6.



a.
$$f(x) = -x^2 + 2x - 1$$

a.
$$f(x) = -x^2 + 2x - 1$$
 b. $f(x) = -.25x^2 - 2x + 5$ c. $f(x) = x^2 + 3x - 5$

c.
$$f(x) = x^2 + 3x - 5$$

d.
$$f(x) = .5x^2 + x - 7$$

d.
$$f(x) = .5x^2 + x - 7$$
 e. $f(x) = -.25x^2 + 3x + 1$ f. $f(x) = x^2 - 4x + 4$

f.
$$f(x) = x^2 - 4x + 4$$


SET

Topic: Completing the square when a > 1.

Fill in the missing constant so that each expression represents 5 perfect squares. Then state the dimensions of the squares in each problem.

- 7. $5x^2 + 30x +$ 8. $5x^2 50x +$ 9. $5x^2 + 10x +$

10. Given the scrambled diagram below, write two equivalent equations for the area.



Determine if each expression below is a perfect square or not. If it is not a perfect square, find the perfect square that seems "closest" to the given expression and show how the perfect square can be adjusted to be the given expression.

11.
$$A(x) = x^2 + 10x + 14$$

12.
$$A(x) = 2x^2 + 16x + 6$$

11.
$$A(x) = x^2 + 10x + 14$$
 12. $A(x) = 2x^2 + 16x + 6$ 13. $A(x) = 3x^2 + 18x - 12$

GO

Topic: Evaluating functions.

Find the indicated function value when $f(x) = 4x^2 - 3x - 25$ and $g(x) = -2x^2 + x - 5$.

- 14. f(1) 15. f(5)

- 16. g(10) 17. g(-5) 18. f(0) + g(0)

Need help? Visit www.rsgsupport.org

https://flic.kr/p/d7Lap7

7.5 Be There or Be Square

A Practice Understanding Task



Quilts and Quadratic Graphs

Optima's niece, Jenny works in the shop, taking orders and drawing quilt diagrams. When the shop isn't too busy, Jenny pulls out her math homework and works on it. One day, she is working on graphing parabolas and notices that the equations she is working with looks a lot like an order for a quilt block. For instance, Jenny is supposed to graph the equation: $y = (x - 3)^2 + 4$. She thinks, "That's funny. This would be an order where the length of the standard square is reduced by 3 and then we add a little piece of fabric that has as area of 4. We don't usually get orders like that, but it still makes sense. I better get back to thinking about parabolas. Hmmm..."

1. Fully describe the parabola that Jenny has been assigned to graph.

2. Jenny returns to her homework, which is about graphing quadratic functions. Much to her dismay, she finds that she has been given: $y = x^2 - 6x + 9$. "Oh dear", thinks Jenny. "I can't tell where the vertex is or identify any of the transformations of the parabola in this form. Now what am I supposed to do?"

"Wait a minute—is this the area of a perfect square?" Use your work from *Building the Perfect Square* to answer Jenny's question and justify your answer.



ALGEBRA I // MODULE 7

STRUCTURES OF EXPRESSIONS - 7.5


3. Jenny says, "I think I've figured out how to change the form of my quadratic equation so that I can graph the parabola. I'll check to see if I can make my equation a perfect square." Jenny's equation is: $y = x^2 - 6x + 9$.

See if you can change the form of the equation, find the vertex, and graph the parabola.

a. $y = x^2 - 6x + 9$ New form of the equation:

b. Vertex of the parabola: _____

c. Graph (with at least 3 accurate points on each side of the line of symmetry):




4. The next quadratic to graph on Jenny's homework is $y = x^2 + 4x + 2$. Does this expression fit the pattern for a perfect square? Why or why not?

a. Use an area model to figure out how to complete the square so that the equation can be written in vertex form, $y = a(x - h)^2 + k$.



- b. Is the equation you have written equivalent to the original equation? If not, what adjustments need to be made? Why?
- c. Identify the vertex and graph the parabola with three accurate points on both sides of the line of symmetry.



5. Jenny hoped that she wasn't going to need to figure out how to complete the square on an equation where *b* is an odd number. Of course, that was the next problem. Help Jenny to find the vertex of the parabola for this quadratic function:


$$g(x) = x^2 + 7x + 10$$

6. Don't worry if you had to think hard about #5. Jenny has to do a couple more:

a.
$$g(x) = x^2 - 5x + 3$$

b.
$$g(x) = x^2 - x - 5$$

7. It just gets better! Help Jenny find the vertex and graph the parabola for the quadratic function: $h(x) = 2x^2 - 12x + 17$



8. This one is just too cute—you've got to try it! Find the vertex and describe the parabola that is the graph of: $f(x) = \frac{1}{2}x^2 + 2x - 3$

7.5 Be There or Be Square – Teacher Notes

A Practice Understanding Task

Purpose: The purpose of this task is for students to connect the completing the square procedure learned in the previous two tasks to graphing parabolas. The task asks students to complete the square to change the equation of a quadratic function in standard form into vertex form. Students will need to extend their understanding of completing the square in an expression to an equation to maintain the equality, requiring that they add and subtract an equivalent term to one side of the equation (effectively adding zero) or that they add the same thing to both sides of the equation. After getting the equation into vertex form, students graph the equation of the parabola.

Core Standards Focus:

F.IF.8 Write a function defined by an expression in different but equivalent forms to reveal and explain different properties of the function.

a. Use the process of factoring and completing the square in a quadratic function to show zeros, extreme values, and symmetry of the graph, and interpret these in terms of a context.

Standards for Mathematical Practice:

SMP 7 - Look for and make use of structure

The Teaching Cycle:

Launch:

Begin the task by asking students to work individually on questions #1 and #2. These questions are designed to activate students' prior knowledge of perfect square trinomials and to make the connection between graphing parabolas in vertex form. Students should be able to quickly name the vertex and describe the parabola for #1 based on the work they did in tasks 2.1 and 2.2.

On question #2, it is important that the pattern for the relationship among terms in a perfect square is described so that students can draw upon it to work the rest of the task.



ALGEBRAI// MODULE 7

STRUCTURES OF EXPRESSIONS - 7.5

Explore:

Monitor students as they work to see that they are drawing upon their previous work to complete

the square and change the form of the equation. Watch for when students get to #4 that they are

checking to see that they are maintaining the equality by either adding the same thing to both sides

of the equation or adding and subtracting an equivalent expression to one side of the equation.

Identify students that have used these strategies to "maintain the balance of the equation" so that

the strategies can be discussed and compared.

Discuss:

Focus the discussion on problem 4. Ask a student to demonstrate how they drew the diagram and

knew that they needed 2 more small squares to complete the square. Of course, adding 2 squares

changes the value of the expression, so adjustments need to made. This is a very important point to

talk through with the class, getting several explanations from students. They will probably have

different strategies for accounting for this change (described in the "Explore" section) and it is

worth discussing and comparing them. Identify the properties of equality that are the basis for

each of the strategies. Quickly graph the parabola and go on to problem 5.

Ask a student to present his/her work on problem 5. The important part to talk through is how

they managed to divide 7 by 2 and then square it. Some students may have used decimals, but

fractions should be encouraged so that the expressions remain exact values. (Decimals could be

exact values too, but students tend to round numbers off.)

Proceed with student demonstrations of the remaining problem with discussions of how to work

through the algebraic details.

Move the discussion with #7. Ask a student to present that has used a diagram, then ask another

student to demonstrate how they worked algebraically. Ask students to articulate connections

between the diagram and the algebraic work.

Licensed under the Creative Commons Attribution CC BY 4.0

Aligned Ready, Set, Go: Quadratic Functions 7.5

mathematicsvisionproject.org

Mathematics Vision Project

READY, SET, GO!

Name

Period

Date

READY

Topic: Recognizing Quadratic Equations

Identify whether or not each equation represents a quadratic function. Explain how you knew it was a quadratic.

1.
$$x^2 + 13x - 4 = 0$$

$$2. \ 3x^2 + x = 3x^2 - 2$$

3.
$$x(4x-5)=0$$

Quadratic or no?

Quadratic or no?

Justification:

Justification: Justification:

4.
$$(2x-7) + 6x = 10$$

5.
$$2^x + 6 = 0$$

6.
$$32 = 4x^2$$

Quadratic or no?

Quadratic or no?

Justification:

Justification:

Justification:

SET


Topic: Changing from standard form of a quadratic to vertex form.

Change the form of each equation to vertex form: $y = a(x - h)^2 + k$. State the vertex and graph the parabola. Show at least 3 accurate points on each side of the line of symmetry.


7.
$$y = x^2 - 4x + 1$$

8.
$$y = x^2 + 2x + 5$$

vertex:



vertex:




Need help? Visit www.rsgsupport.org

9.
$$y = x^2 + 3x + \frac{13}{4}$$

10.
$$y = \frac{1}{2}x^2 - x + 5$$

vertex:

vertex:



11. One of the parabolas in problems 9 – 10 should look "wider" than the others. Identify the parabola. Explain why this parabola looks different.

Fill in the blank by completing the square. Leave the number that completes the square as an improper fraction. Then write the trinomial in factored form.

12.
$$x^2 - 11x + \underline{\hspace{1cm}}$$
 13. $x^2 + 7x + \underline{\hspace{1cm}}$ 14. $x^2 + 15x + \underline{\hspace{1cm}}$

13.
$$x^2 + 7x +$$

14.
$$x^2 + 15x +$$

15.
$$x^2 + \frac{2}{3}x + \underline{\hspace{1cm}}$$

16.
$$x^2 - \frac{1}{5}x + \underline{\hspace{1cm}}$$

15.
$$x^2 + \frac{2}{3}x + \underline{\hspace{1cm}}$$
 16. $x^2 - \frac{1}{5}x + \underline{\hspace{1cm}}$ 17. $x^2 - \frac{3}{4}x + \underline{\hspace{1cm}}$

29

GO

Topic: Writing recursive equations for quadratic functions.

Identify whether the table represents a linear or quadratic function. If the function is linear, write both the explicit and recursive equations. If the function is quadratic, write only the recursive equation.

18.

x	f(x)			
1	0			
2	3			
3	6			
4	9			
5	12			

19.

х	f(x)
1	7
2	10
3	16
4	25
5	37

Type of function:

Equation(s):

Type of function:

Equation(s):

20.

х	f(x)
1	8
2	10
3	12
4	14
5	16

21.

x	f(x)		
1	28		
2	40		
3	54		
4	70		
5	88		

Type of function:

Type of function:

Equation(s):

Equation(s):

7.6 Factor Fixin'

A Develop Understanding Task



At first, *Optima's Quilts* only made square blocks for quilters and Optima spent her time making perfect squares. Customer service representatives were trained to ask for the length of the side of the block, x, that was being ordered, and they would let the customer know the area of the block to be quilted using the formula $A(x) = x^2$.

Optima found that many customers that came into the store were making designs that required a combination of squares and rectangles. So, *Optima's Quilts* has decided to produce several new lines of rectangular quilt blocks. Each new line is described in terms of how the rectangular block has been modified from the original square block. For example, one line of quilt blocks consists of starting with a square block and extending one side length by 5 inches and the other side length by 2 inches to form a new rectangular block. The design department knows that the area of this new block can be represented by the expression: A(x) = (x + 5)(x + 2), but they do not feel that this expression gives the customer a real sense of how much bigger this new block is (e.g., how much more area it has) when compared to the original square blocks.


1. Can you find a different expression to represent the area of this new rectangular block? You will need to convince your customers that your formula is correct using a diagram.



ALGEBRA I // MODULE 7 STRUCTURES OF EXPRESSIONS - 7.6

Here are some additional new lines of blocks that *Optima's Quilts* has introduced. Find two different algebraic expressions to represent each rectangle, and illustrate with a diagram why your representations are correct.

2.	The original square block was extended 3 inches on one side and 4 inches on the other.



4. The original square block was extended 5 inches on each side.

5. The original square block was extended 2 inches on one side and 6 inches on the other.



ALGEBRAI// MODULE 7

STRUCTURES OF EXPRESSIONS - 7.6

Customers start ordering custom-made block designs by requesting how much additional area they want beyond the original area of x^2 . Once an order is taken for a certain type of block, customer service needs to have specific instructions on how to make the new design for the manufacturing team. The instructions need to explain how to extend the sides of a square block to create the new line of rectangular blocks.

The customer service department has placed the following orders on your desk. For each, describe how to make the new blocks by extending the sides of a square block with an initial side length of x. Your instructions should include diagrams, written descriptions and algebraic descriptions of the area of the rectangles in using expressions representing the lengths of the sides.

6.
$$x^2 + 5x + 3x + 15$$

7.
$$x^2 + 4x + 6x + 24$$

8.
$$x^2 + 9x + 2x + 18$$

9.
$$x^2 + 5x + x + 5$$

Some of the orders are written in an even more simplified algebraic code. Figure out what these entries mean by finding the sides of the rectangles that have this area. Use the sides of the rectangle to write equivalent expressions for the area.

10.
$$x^2 + 11x + 10$$

11.
$$x^2 + 7x + 10$$



ALGEBRAI// MODULE 7

STRUCTURES OF EXPRESSIONS - 7.6

12.
$$x^2 + 9x + 8$$

13.
$$x^2 + 6x + 8$$

14.
$$x^2 + 8x + 12$$

15.
$$x^2 + 7x + 12$$

16.
$$x^2 + 13x + 12$$

17. What relationships or patterns do you notice when you find the sides of the rectangles for a given area of this type?

18. A customer called and asked for a rectangle with area given by: $x^2 + 7x + 9$. The customer service representative said that the shop couldn't make that rectangle. Do you agree or disagree? How can you tell if a rectangle can be constructed from a given area?



7.6 Factor Fixin' – Teacher Notes

A Develop Understanding Task

Note to teacher: Graph paper and colored pencils will be useful for this task.

Purpose: The purpose of this task is for students to understand equivalent expressions obtained from factoring trinomials by using rectangular area models. Students will write expressions in both factored form and standard form, using area diagrams and the distributive property to show that the expressions are equivalent. In the task, students use area model diagrams to identify the sides of the rectangle, and thus, the factors. The expressions to be factored in this task are in the form $x^2 + bx + c$ and restricted to only positive numbers so that students will notice the number relationships between b and c. In the next task, students will work with expressions that contain both positive and negative numbers.

Core Standards Focus:

F.IF.8 Write a function defined by an expression in different but equivalent forms to reveal and explain different properties of the function.

a. Use the process of factoring and completing the square in a quadratic function to show zeros, extreme values, and symmetry of the graph, and interpret these in terms of a context.

A.SSE.3 Choose and produce an equivalent form of an expression to reveal and explain properties of the quantity represented by the expression.

a. Factor a quadratic expression to reveal the zeros of the function it defines.,

b. Complete the square in a quadratic expression to reveal the maximum or minimum value of the function it defines.

Standards for Mathematical Practice:

SMP 4 - Model with mathematics


SMP 7 - Look for and make use of structure



The Teaching Cycle:

Launch (Whole Class):

This task is based on a context that students are familiar with from "Building the Perfect Square". Since they have used area model diagrams to model perfect squares, it should not be difficult to extend their thinking to rectangles. Start the task by having them work on problem 1. Ask a student to share the diagram, which should be something like this:



Ask the class how to label each of the sides and parts of the area. Ask students to connect the diagram with the equation and to justify the expression for the area. Be sure that students recognize the distributive property in both representations. Ask students if they notice any number patterns in the diagrams or the equation. At this point, it's not important to introduce the patterns unless students happen to see them. The purpose of the question is to get them to think about patterns as they work.

Explore (Small Group):

This task is meant to be a puzzler, so let students work through it a bit without leading too much. Problems 6-9 are designed to help students use the diagrams to write equivalent expressions. Encourage them to use the diagrams to write and justify their expressions. Problems 10-16 are designed to get students to recognize the number patterns. Listen for students that are noticing useful patterns in the numbers that will help the class with factoring.

Discuss (Whole Class):

Start the discussion with #10 and #11. In each case, have the presenting student talk about how they constructed the rectangle and found the sides. After both problems have been demonstrated ask students what they notice about the relationship between the last number in the trinomial and



ALGEBRAI// MODULE7

STRUCTURES OF EXPRESSIONS - 7.6

the coefficient of the middle term. Students may not yet be articulating the relationship, so the next

two problems (#12 and #13) can be used to verify or refine what they have noticed. In each case,

be sure that they label their diagrams and write the factored form of the expression for area. Work

problems 14, 15, and 16, writing the factored form of the expression next to the trinomial. Again,

ask students to look for patterns and to describe how to choose the factors of 12 that go into the

factored form such as noticing that the factors of the last term must add up to the middle term.

Help students to formalize the language and write it on the board so they can remember it.

When the discussion gets to #18, let students explain how they know that the expression doesn't

factor. A good way to tell if a trinomial factors, in general, is to multiply the lead coefficient by the

last term. If there are factors of that product that add to give the middle coefficient, the trinomial

can be factored.

Aligned Ready, Set, Go: Quadratic Functions 7.6



READY, SET, GO!

Name

Period

Date

READY

Topic: Creating Binomial Quadratics

Multiply. (Use the distributive property, write in standard form.)

- 1. x(4x-7)
- 2. 5x(3x + 8)
- 3. 3x(3x-2)

4. The answers to problems 1, 2, & 3 are quadratics that can be represented in standard form $ax^2 + bx + c$. Which coefficient, **a**, **b**, or **c** equals 0 for all of the exercises above?

Factor the following. (Write the expressions as the product of two linear factors.)

- 5. $x^2 + 4x$
- 6. $7x^2 21x$ 7. $12x^2 + 60x$
- $8. 8x^2 + 20x$

Multiply

- 9. (x+9)(x-9) 10. (x+2)(x-2) 11. (6x+5)(6x-5) 12. (7x+1)(7x-1)

13. The answers to problems 9, 10, 11, &12 are quadratics that can be represented in standard form $ax^2 + bx + c$. Which coefficient, **a**, **b**, or **c** equals 0 for all of the exercises above?

SET

Topic: Factoring Trinomials

Factor the following quadratic expressions into two binomials.

14.
$$x^2 + 14x + 45$$

15.
$$x^2 + 18x + 45$$

16.
$$x^2 + 46x + 45$$

17.
$$x^2 + 11x + 24$$

18.
$$x^2 + 10x + 24$$

19.
$$x^2 + 14x + 24$$

20.
$$x^2 + 12x + 36$$

21.
$$x^2 + 13x + 36$$

22.
$$x^2 + 20x + 36$$

23.
$$x^2 - 15x - 100$$

24.
$$x^2 + 20x + 100$$

25.
$$x^2 + 29x + 100$$

Need help? Visit www.rsgsupport.org

26. Look back at each "row" of factored expressions in problems 14 to 25 above. Explain how it is possible that the coefficient (b) of the middle term can be different numbers in each problem when the "outside" coefficients (a) and (c) are the same. (Recall the standard form of a quadratic is $ax^2 + bx + c$.)

GO

Topic: Taking the square root of perfect squares.

Only some of the expressions inside the radical sign are perfect squares. Identify which ones are perfect squares and take the square root. Leave the ones that are not perfect squares under the radical sign. Do not attempt to simplify them. (Hint: Check your answers by squaring them. You should be able to get what you started with, if you are right.)

27.
$$\sqrt{(17xyz)^2}$$

28.
$$\sqrt{(3x-7)^2}$$

29.
$$\sqrt{121a^2b^6}$$

30.
$$\sqrt{x^2 + 8x + 16}$$

31.
$$\sqrt{x^2 + 14x + 49}$$

30.
$$\sqrt{x^2 + 8x + 16}$$
 31. $\sqrt{x^2 + 14x + 49}$ 32. $\sqrt{x^2 + 14x - 49}$

33.
$$\sqrt{x^2 + 10x + 100}$$

34.
$$\sqrt{x^2 + 20x + 100}$$
 35. $\sqrt{x^2 - 20x + 100}$

35.
$$\sqrt{x^2 - 20x + 100}$$

7.7 The x Factor

A Solidify Understanding Task



Now that *Optima's Quilts* is accepting orders for rectangular blocks, their business in growing by leaps and bounds. Many customers want rectangular blocks that are bigger than the standard square block on one side. Sometimes they want one side of the block to be the standard length, *x*, with the other side of the block 2 inches bigger.

1. Draw and label this block. Write two different expressions for the area of the block.

Sometimes they want blocks with one side that is the standard length, *x*, and one side that is 2 inches less than the standard size.

2. Draw and label this block. Write two different expressions for the area of the block. Use your diagram and verify algebraically that the two expressions are equivalent.

There are many other size blocks requested, with the side lengths all based on the standard length,

- *x.* Draw and label each of the following blocks. Use your diagrams to write two equivalent expressions for the area. Verify algebraically that the expressions are equal.
- 3. One side is 1" less than the standard size and the other side is 2" more than the standard size.



ALGEBRAI// MODULE 7

STRUCTURES OF EXPRESSIONS - 7.7

4. One side is 2" less than the standard size and the other side is 3" more than the standard size.
5. One side is 2" more than the standard size and the other side is 3" less than the standard size.
6. One side is 3" more than the standard size and the other side is 4" less than the standard size.
7. One side is 4" more than the standard size and the other side is 3" less than the standard size.
8. An expression that has 3 terms in the form: $ax^2 + bx + c$ is called a trinomial. Look back at the trinomials you wrote in questions 3-7. How can you tell if the middle term (bx) is going to be positive or negative?
9. One customer had an unusual request. She wanted a block that is extended 2 inches on one side and decreased by 2 inches on the other. One of the employees thinks that this rectangle will have



block.

the same area as the original square since one side was decreased by the same amount as the other side was increased. What do you think? Use a diagram to find two expressions for the area of this

10. The result of the unusual request made the employee curious. Is there a pattern or a way to predict the two expressions for area when one side is increased and the other side is decreased by the same number? Try modeling these two problems, look at your answer to #8, and see if you can find a pattern in the result.

a.
$$(x + 1)(x - 1)$$

b.
$$(x + 3)(x - 3)$$

- 11. What pattern did you notice? What is the result of (x + a)(x a)?
- 12. Some customers want both sides of the block reduced. Draw the diagram for the following blocks and find a trinomial expression for the area of each block. Use algebra to verify the trinomial expression that you found from the diagram.

a.
$$(x-2)(x-3)$$

b.
$$(x-1)(x-4)$$

13. Look back over all the equivalent expressions that you have written so far, and explain how to tell if the third term in the trinomial expression $ax^2 + bx + c$ will be positive or negative.



ALGEBRAI// MODULE 7

STRUCTURES OF EXPRESSIONS - 7.7

14. Optima's quilt shop has received a number of orders that are given as rectangular areas using a trinomial expression. Find the equivalent expression that shows the lengths of the two sides of the rectangles.

a.
$$x^2 + 9x + 18$$

b.
$$x^2 + 3x - 18$$

c.
$$x^2 - 3x - 18$$

d.
$$x^2 - 9x + 18$$

e.
$$x^2 - 5x + 4$$

f.
$$x^2 - 3x + 4$$

g.
$$x^2 + 2x - 15$$

15. Write an explanation of how to factor a trinomial in the form: $x^2 + bx + c$.



7.7 The x Factor – Teacher Notes

A Solidify Understanding Task

Note to teacher: Graph paper and colored pencils will be useful for this task.

Purpose: The purpose of this task is for students to understand equivalent expressions obtained from factoring trinomials. In the task, students use area model diagrams to identify the sides of the rectangle, and thus, the factors. In the previous task, *Factor Fixin'*, student factored trinomials in which all of the terms are positive. This task builds on that work to include factoring expressions that have both positive and negative terms. The problems are carefully selected to help students see number patterns that they can use to become fluent with factoring. Students write expressions in both factored form and standard form.

Core Standards Focus:

F.IF.8 Write a function defined by an expression in different but equivalent forms to reveal and explain different properties of the function.

a. Use the process of factoring and completing the square in a quadratic function to show zeros, extreme values, and symmetry of the graph, and interpret these in terms of a context.

A.SSE.3 Choose and produce an equivalent form of an expression to reveal and explain properties of the quantity represented by the expression.

a. Factor a quadratic expression to reveal the zeros of the function it defines.

Standards for Mathematical Practice:

SMP 8 - Look for express regularity in repeated reasoning

The Teaching Cycle:


Launch (Whole Class):

This task is based on a context that students are familiar with from *Factor Fixin'*. The area models used here become more difficult because students have to think about the effect on the area of both adding to a side and subtracting from a side. This leads to some complications that must be



STRUCTURES OF EXPRESSIONS – 7.7

carefully worked through. Start the task by having them work on problem 1. Ask a student to share the diagram, which should be something like this:




Ask the class how to label each of the sides and parts of the area. Ask students to connect the diagram with the equation and to justify the expression for the area. Be sure that students recognize the distributive property in both representations. This should not be difficult, based upon previous work.

Ask students to do problem #2 and then proceed in sharing in a similar fashion. The diagram will show the length of the standard block, x, and then that 2 inches have been removed from one side. The steps for creating the diagram follow:

Begin with the standard square:



When two inches are removed from one side, the diagram becomes like the one below, with the red area representing the order: x-2







The expressions for the area of the order are: $x(x-2) = x^2 - 2x$. Be sure that students can connect the algebraic expressions to the diagram, especially that they can explain how the diagram shows $x^2 - 2x$.

Ask students to do #3 and discuss it in a similar way to #1 and #2. The diagram is built as follows:

Begin with the standard square:



Add 2 inches on one side and remove an inch on the other side. It helps to mark it on the sides first and then fill in the resulting areas, like so:



Remove this length

The resulting rectangular area is given by: $(x-1)(x+2) = x^2 + 2x - x - 2 = x^2 + x - 2$ Be sure that students can use the diagram to explain the areas and they see how the distributive property shows that the algebraic expressions are equivalent.

At this point, students can proceed through the task. You may wish to have them do the lesson in three parts with part 1 ending with a discussion of problem 8, the second part with problems 8 and 12, and the third part with problem #14.

Explore (Small Group):

Encourage them to use the diagrams to write and justify their expressions. Listen for students that are noticing useful patterns in the numbers that will help the class with factoring. If students are



having difficulty with the diagrams, you may want to offer the idea of coloring the positive spaces one color and the negative spaces another. Students will probably need some help in thinking about that the case when length is removed from both sides. Identify students that have worked through this idea and drawn diagrams for #11a to share in the discussion.

Discuss (Whole Class):

Start the discussion with #6 and #7. In each case, ask a student to share their diagram and relate the diagram to each of the algebraic expressions. Use the diagram to show why the expressions are equivalent, making sure that students are able to explain why the middle term in the trinomial is either positive or negative. Ask the class to come up with a guide for looking at two factors and knowing if the middle term of the trinomial is positive or negative. Also ask what we know about the factors if the middle term is positive or negative. Students should recognize that a negative middle term doesn't necessarily mean that the signs of the factors will be either positive or negative.

Ask a student to share their conjecture about #12. Have a discussion of the conjecture with students either supporting or disputing the conjecture. End this segment of the discussion with an agreed-upon statement like: The third term will be positive if both factors are either positive or negative. The third term will be negative if the two factors have different signs.

The last part of the discussion should focus on #14 and the number patterns in factoring. At the end of the discussion students should be clear that in a trinomial of the form $x^2 + bx + c$, the factors of the last term must add up to the middle term. To this end, the discussion should compare the results of #14a, b, c, and d to highlight the number patterns. For the most part, the discussion can focus on the algebraic expressions, although the diagrams may still be useful here for explaining why the patterns occur. When the number patterns have been articulated, help students to formalize the language and write it on the board so they can remember it.

Use the remaining examples in #14 to illustrate the patterns found throughout the task including how to determine the signs of the factors and how to select and place the appropriate numbers into the factors.

Aligned Ready, Set, Go: Quadratic Functions 7.7



READY, SET, GO!

Name

Period

Date

READY

Topic: Exploring the density of the number line.

Find three numbers that are between the two given numbers.

1.
$$5\frac{3}{4}$$
 and $6\frac{1}{3}$

2.
$$-2\frac{1}{4}$$
 and $-1\frac{1}{2}$ 3. $\frac{1}{4}$ and $\frac{5}{8}$

3.
$$\frac{1}{4}$$
 and $\frac{5}{8}$

4.
$$\sqrt{3}$$
 and $\sqrt{5}$

5. 4 and
$$\sqrt{23}$$

6.
$$-9\frac{3}{4}$$
 and -8.5 7. $\sqrt{\frac{1}{4}}$ and $\sqrt{\frac{4}{9}}$

7.
$$\sqrt{\frac{1}{4}}$$
 and $\sqrt{\frac{4}{9}}$

8.
$$\sqrt{13}$$
 and $\sqrt{14}$

SET

Topic: Factoring Quadratics

The area of a rectangle is given in the form of a trinomial expression. Find the equivalent expression that shows the lengths of the two sides of the rectangle.

9.
$$x^2 + 9x + 8$$
 10. $x^2 - 6x + 8$ 11. $x^2 - 2x - 8$ 12. $x^2 + 7x - 8$

10.
$$x^2 - 6x + 8$$

11.
$$x^2 - 2x - 8$$

12.
$$x^2 + 7x - 8$$

13.
$$x^2 - 11x + 24$$
 14. $x^2 - 14x + 24$ 15. $x^2 - 25x + 24$ 16. $x^2 - 10x + 24$

14.
$$x^2 - 14x + 24$$

15.
$$x^2 - 25x + 24$$

16.
$$x^2 - 10x + 24$$

17.
$$x^2 - 2x - 24$$

18.
$$x^2 - 5x - 24$$

19.
$$x^2 + 5x - 24$$

17.
$$x^2 - 2x - 24$$
 18. $x^2 - 5x - 24$ 19. $x^2 + 5x - 24$ 20. $x^2 - 10x + 25$

21.
$$x^2 - 25$$

22.
$$x^2 - 2x - 15$$

23.
$$x^2 + 10x - 75$$

22.
$$x^2 - 2x - 15$$
 23. $x^2 + 10x - 75$ 24. $x^2 - 20x + 51$

25.
$$x^2 + 14x - 32$$
 26. $x^2 - 1$

26.
$$x^2 - 1$$

27.
$$x^2 - 2x + 1$$


27.
$$x^2 - 2x + 1$$
 28. $x^2 + 12x - 45$

GO


Topic: Graphing Parabolas

Graph each parabola. Include the vertex and at least 3 accurate points on each side of the axis of symmetry. Then describe the transformation in words.

29.
$$f(x) = x^2$$




30.
$$g(x) = x^2 - 3$$




Description:

31.
$$h(x) = (x-2)^2$$



Description:

32.
$$b(x) = -(x+1)^2 + 4$$



Description:

CC BY Paul Inkles https://flic.kr/p/dxn5FU

7.8H The Wow Factor

A Solidify Understanding Task

Optima's Quilts sometimes gets orders for blocks that are multiples of a given block. For instance, Optima got an order for a block that was exactly twice as big as the rectangular block that has a side that is 1" longer than the basic size, x, and one side that is 3" longer than the basic size.


1. Draw and label this block. Write two equivalent expressions for the area of the block.

2. Oh dear! This order was scrambled. The pieces are show here. Put the pieces together to make a rectangular block and write two equivalent expressions for the area of the block.

	l	
]	
	1	

- 3. What do you notice when you compare the two equivalent expressions in problems #1 and #2?
- 4. Optima has a lot of new orders. Use diagrams to help you find equivalent expressions for each of the following:
- a. $5x^2 + 10x$
- b. $3x^2 + 21x + 36$
- c. $2x^2 + 2x 4$
- d. $2x^2 10x + 12$
- e. $3x^2 27$

Because she is a great business manager, Optima offers her customers lots of options. One option is to have rectangles that have side lengths that are more than one x. For instance, Optima made this cool block:



5. Write two equivalent expressions for this block. Use the distributive property to verify that your answer is correct.

ALGEBRA I // MODULE 7

STRUCTURES OF EXPRESSIONS - 7.8H

6. Here we have some partial orders. We have one of the expressions for the area of the block and we know the length of one of the sides. Use a diagram to find the length of the other side and write a second expression for the area of the block. Verify your two expressions for the area of the block are equivalent using algebra.

a. Area:
$$2x^2 + 7x + 3$$
 Side: $(x + 3)$

Equivalent expression for area:

b. Area:
$$5x^2 + 8x + 3$$
 Side: $(x + 1)$

Equivalent expression for area:

c. Area:
$$2x^2 + 7x + 3$$
 Side: $(2x + 1)$

Equivalent expression for area:

7. What are some patterns you see in the two equivalent expressions for area that might help you to factor?



8. Business is booming! More and more orders are coming in! Use diagrams or number patterns (or both) to write each of the following orders in factored form:

a.
$$3x^2 + 16x + 5$$

b.
$$2x^2 - 13x + 15$$

c.
$$3x^2 + x - 10$$

d.
$$2x^2 + 9x - 5$$

9. In *The x Factor*, you wrote some rules for deciding about the signs inside the factors. Do those rules still work in factoring these types of expressions? Explain your answer.

10. Explain how Optima can tell if the block is a multiple of another block or if one side has a multiple of x in the side length.

11. There's one more twist on the kind of blocks that Optima makes. These are the trickiest of all because they have more than one x in the length of both sides of the rectangle! Here's an example:



Write two equivalent expressions for this block. Use the distributive property to verify that your answer is correct.

12. All right, let's try the tricky ones. They may take a little messing around to get the factored expression to match the given expression. Make sure you check your answers to be sure that you've got them right. Factor each of the following:

a.
$$6x^2 + 7x + 2$$

b.
$$10x^2 + 17x + 3$$

c.
$$4x^2 - 10x + 3$$

d.
$$4x^2 + 4x - 3$$

e.
$$9x^2 - 9x - 10$$

12. Write a "recipe" for how to factor trinomials in the form, $ax^2 + bx + c$.

7.8H The Wow Factor – Teacher Notes

A Solidify Understanding Task

Note to teacher: Graph paper and colored pencils will be useful for this task.

Purpose: This task provides opportunity to extend the work of factoring and working with the area model for quadratics to those of the form $ax^2 + bx + c$, with an a-value other than one. Students will work to see how the area model connects with quadratics of this form and how both factored form and standard form connect with the area model. The distributive property will be used to verify the work and move to efficiency as combinations of the factors of a are considered with the combinations of the factors of c.

Core Standards Focus:

F.IF.8 Write a function defined by an expression in different but equivalent forms to reveal and explain different properties of the function.

a. Use the process of factoring and completing the square in a quadratic function to show zeros, extreme values, and symmetry of the graph, and interpret these in terms of a context.

A.SSE.3 Choose and produce an equivalent form of an expression to reveal and explain properties of the quantity represented by the expression.

a. Factor a quadratic expression to reveal the zeros of the function it defines.

Standards for Mathematical Practice:

SMP 8 - Look for and express regularity in repeated reasoning

The Teaching Cycle:

Launch (Whole Class): This task is based on a context that students are familiar with from *Factor Fixin'* and *X Factor*. At this point, many students will be able to use number patterns to factor expressions. Tell students that we will continue to use the models to help expose number patterns that will make them more efficient at factoring. The problems in this task consider expressions for $a \ne 1$. Ask students to remember what it meant for the diagram when we had an expression like $2(x-1)^2$. They should recognize that the 2 meant that there were two blocks, or equivalently,



twice the area of a block with area of $(x-1)^2$. Launch the task by asking students to work problems #1 and #2 together and have a short discussion of their answers to #3. At this point, you may choose to have students work up to #5 and then discuss, or to have the class continue working and discuss the three parts of the task all at once.

Explore (Small Group): Encourage them to use the diagrams to write and justify their expressions. Listen for students that are noticing useful patterns in the numbers that will help the class with factoring. If students are having difficulty with the diagrams, you may want to offer the idea of coloring the positive spaces one color and the negative spaces another.

Discuss (Whole Class): Start the discussion with #4, problems *d* and *e*. In each case, ask a student to share their diagram and relate the diagram to each of the algebraic expressions. Help students to notice not only the common factor, but also the idea that many expressions can be factored further once the common factor has been factored out. If it is available, share the work of students that can describe their strategy for factoring these problems without the diagram and then ask the class to connect back to the diagrams. Write a verbal description of how to decide if there is a common factor to be factored out before considering how to factor the remaining trinomial.

Move the discussion to problem #8, selecting at least 2 of the problems. Again begin with a student that can show the use of the diagrams and then connect to a student that can describe how to work the problem without diagrams. Solidify the discussion by writing down strategies for factoring this type of trinomial such as noticing that the middle term (b) will be the sum of the factors of a and c.

Finally, discuss the last type of problem, those in #12. Do as many as time allows. Begin with a diagram and connect to a numeric method of working the problem. At this point in the task, students should be becoming more comfortable using number patterns. After doing one problem with a diagram and making connections, the remaining problems can be worked using only the number patterns. End the task with #13, recording for the class a general strategy for factoring trinomials.

Aligned Ready, Set, Go: Quadratic Functions 7.8H



READY, SET, GO!

Name

Period

Date

READY

Topic: Comparing arithmetic and geometric sequences

The first and fifth terms of each sequence are given. Fill in the missing numbers.

Example:	+80	+80	+80	+80	
Arithmetic	4	84	164	244	324
Geometric	4	12	36	108	★ 324
) _{x3} (\mathcal{I}_{x_3}	\mathcal{F}_{x3}	x 3
1.					
Arithmetic	3				1875
Geometric	3				1875
2.					
Arithmetic	-1458				-18
Geometric	-1458				-18
3.					
Arithmetic	1024				4
Geometric	1024				4




SET


Topic: Writing an area model as a quadratic expression

Write two equivalent expressions for the area of each block. Let x be the side length of each of the large squares.


4.



5.



6.



- 7. Problems 4, 5, and 6 all contain the same number of squares measuring x^2 and 1^2 .
 - A. What is different about them?
 - B. How does this difference affect the quadratic expression that represents them?
 - C. Describe how the arrangement of the squares and rectangles affects the factored form.

Need help? Visit www.rsgsupport.org

Topic: Factoring quadratic expressions when a > 1

Factor the following quadratic expressions.

8.
$$4x^2 + 7x - 2$$

9.
$$2x^2 - 7x - 15$$

8.
$$4x^2 + 7x - 2$$
 9. $2x^2 - 7x - 15$ 10. $6x^2 + 7x - 3$ 11. $4x^2 - x - 3$

11.
$$4x^2 - x - 3$$

12.
$$4x^2 + 19x - 5$$

13.
$$3x^2 - 10x + 8$$

14.
$$6x^2 + x - 2$$

12.
$$4x^2 + 19x - 5$$
 13. $3x^2 - 10x + 8$ 14. $6x^2 + x - 2$ 15. $3x^2 - 14x - 24$

16.
$$2x^2 + 9x + 10$$
 17. $5x^2 + 31x + 6$ 18. $5x^2 + 7x - 6$ 19. $4x^2 + 8x - 5$

17.
$$5x^2 + 31x + 6$$

18.
$$5x^2 + 7x - 6$$

19.
$$4x^2 + 8x - 5$$

20.
$$3x^2 - 75$$

21.
$$3x^2 + 7x + 2$$
 22. $4x^2 + 8x - 5$ 23. $2x^2 + x - 6$

22.
$$4x^2 + 8x - 5$$

23.
$$2x^2 + x - 6$$

GO

Topic: Finding the equation of the line of symmetry of a parabola

Given the x-intercepts of a parabola, write the equation of the line of symmetry.


7.9 Lining Up Quadratics

A Practice Understanding Task



Graph each function and find the vertex, the y-intercept and the x-intercepts. Be sure to properly write the intercepts as points.

1.
$$y = (x - 1)(x + 3)$$




 Line of Symmetry _____

 Vertex _____

 x -intercepts _____

y-intercept _____

2. f(x) = 2(x-2)(x-6)




Line of Symmetry _____

Vertex ____

x -intercepts _____

y-intercept _____

3. g(x) = -x(x+4)



Line of Symmetry _____

Vertex _____

x -intercepts _____


y-intercept _____

- 4. Based on these examples, how can you use a quadratic function in factored form to:
 - a. Find the line of symmetry of the parabola?
 - b. Find the vertex of the parabola?
 - c. Find the x -intercepts of the parabola?
 - d. Find the y-intercept of the parabola?
 - e. Find the vertical stretch?

5. Choose any two <u>linear</u> functions and write them in the form: f(x) = m(x - c), where m is the slope of the line. Graph the two functions.

Linear function 1:

Linear function 2:




6. On the same graph as #5, graph the function P(x) that is the product of the two linear functions that you have chosen. What shape is created?

7. Describe the relationship between x-intercepts of the linear functions and the x-intercepts of the function P(x). Why does this relationship exist?

8. Describe the relationship between y-intercepts of the linear functions and the y-intercepts of the function P(x). Why does this relationship exist?

9. Given the parabola to the right, sketch two lines that could represent its linear factors.



- 10. Write an equation for each of these two lines.
- 11. How did you use the *x* and *y* intercepts of the parabola to select the two lines?
- 12. Are these the only two lines that could represent the linear factors of the parabola? If so, explain why. If not, describe the other possible lines.
- 13. Use your two lines to write the equation of the parabola. Is this the only possible equation of the parabola?

7.9 Lining Up Quadratics – Teacher Notes

A Solidify Understanding Task

Special Note to Teachers: Graphing technology is useful for this task.

Purpose: The purpose of this task is two-fold: First, for students to explore and generalize how the features of the equation can be used to graph the quadratic function. Second, for students to deepen students' understanding of a quadratic function as a product of two linear factors. In the task, students are asked to graph parabolas from equations in factored form. They are given several cases to provide an opportunity to notice how the x-intercepts, y-intercept, and vertical stretch are readily visible in the equation. This also sets them up to notice the relationship between the x-intercepts and the y-intercept. The task extends this thinking by asking students to start with any two linear functions, multiply them together and find the function that is created, which is quadratic. They graph both the initial lines and the parabola to find the relationship between x-intercepts and y-intercept and to highlight the idea that quadratic functions are the product of two linear factors.

Core Standards Focus:

F.IF.8 Write a function defined by an expression in different but equivalent forms to reveal and explain different properties of the function.

a. Use the process of factoring and completing the square in a quadratic function to show zeros, extreme values, and symmetry of the graph, and interpret these in terms of a context.

F.BF.1 Write a function that describes a relationship between two quantities.

b. Combine standard functions types using arithmetic operations.

A.SSE.3 Choose and produce an equivalent form of an expression to reveal and explain properties of the quantity represented by the expression.

a. Factor a quadratic expression to reveal the zeros of the function it defines.

Standards for Mathematical Practice:

SMP 3 - Construct viable arguments and critique the reasoning of others



SMP 7 - Look for and make use of structure

The Teaching Cycle:

Launch (Whole Class):

Begin the task by telling students that questions 1-4 are an exploration that has been set up for them to notice as many things as they can about using factored form of the equation of a quadratic function. It is recommended that graphing technology be provided for students to use in this part of the task. Tables of values could also be used to generate graphs of the functions, although this will be much slower. Ask students to work on just questions 1-4 and then call them back for a discussion.

Explore (Small Group):

While students are working, listen for students that can describe the process of finding the line of symmetry half way between the *x* -intercepts and then using the x-value to find the y-value of the vertex. This will be tricky for many students and may require a few scaffolding questions for support. Encourage students to not only draw conclusions based on the examples that are given, but to consider if their conclusions will be true for any quadratic function.

Discuss (Whole Class):

Begin the discussion with question #2. Use technology to project the graph for the class, and ask a student to explain how he/she found the x-intercepts. Ask another student to explain how he/she used the x-intercepts to find the line of symmetry, and then another student to explain how to use the line of symmetry to find the vertex. Move the discussion to question #4 and formalize the thinking of the class using algebraic notation. For each question, ask if the process will work in all cases and to justify their generalizations. Demonstrate how to do a quick graph of a parabola with the following method using problem #2 as an example:

$$f(x) = 2(x - 2)(x - 6)$$

Step 1: Identify the x-intercepts, (2, 0) and (6, 0) and mark them with points on the graph.



Step 2: Identify the line of symmetry by determining the midpoint between the two intercepts and drawing the line. In this case, the line of symmetry is x = 4. Graph the line of symmetry.

Step 3: Find the vertex by substituting x = 4 into the function and solving for y. This works because we know the vertex lies on the line of symmetry.

Step 4: Identify any reflection or vertical stretch on the function. In this case, we have a vertical stretch by a factor of 2. Start at the vertex and use the quick graph counting method to get the points of the parabola. Along the way, the count should get to the two x-intercepts or else a mistake has been made.

Re-launch (Whole class):

Start the second part of the task with question #5. Lead students through this question, prompting them to write two linear functions of their choice and to graph them. Explain that for question #6, students are to multiply the two functions together and graph the result. They don't need to go through the algebra of multiplying the two functions together and combining terms. You may need to show a quick example. Once everyone has this part completed, they should be ready to work together on the rest of the task.

Explore (Small Group):

Because the language in this part of the task is somewhat abstract, be prepared to help students understand what the question is asking for without giving away the answers to the questions. The most important thing to be shared in the discussion is student reasoning about why they are getting the results that they are. Since they have all chosen different linear functions, encourage students to share their results with each other and to talk about why the conclusions are the same.

Discuss (Whole Class):

After students have been given time to work through the task on their own, lead the class through the questions, sharing results and pressing for good explanations of the results.



ALGEBRA I // MODULE 7 STRUCTURES OF EXPRESSIONS - 7.9

Aligned Ready, Set, Go: Structures of Expressions 7.9



READY, SET, GO!

Name

Period

Date

READY

Topic: Multiplying Binomials Using a Two-Way Table

Multiply the following binomials using the given two-way table to assist you.

Example: (2x + 3)(5x - 7)


$$(5x-7)$$

$$10x^{2} - 14x$$


$$+ 15x - 21$$

$$= 10x^{2} + x - 21$$


1. (3x-4)(7x-5)




2. (9x + 2)(x + 6)




3. (4x-3)(3x+11)




4. (7x + 3)(7x - 3)




5. (3x - 10)(3x + 10)




6. (11x + 5)(11x - 5)




7. $(4x + 5)^2$



8. $(x + 9)^2$



9. $(10x - 7)^2$



10. The "like-term" boxes in #'s 7, 8, and 9 reveal a special pattern. Describe the relationship between the middle coefficient **(b)** and the coefficients **(a)** and **(c)**.

SET

Topic: Factored Form of a Quadratic Function

Given the factored form of a quadratic function, identify the vertex, intercepts, and vertical stretch of the parabola.

11.
$$y = 4(x-2)(x+6)$$

12.
$$y = -3(x+2)(x-6)$$

13.
$$y = (x + 5)(x + 7)$$

14.
$$y = \frac{1}{2}(x-7)(x-7)$$

14.
$$y = \frac{1}{2}(x-7)(x-7)$$
 15. $y = -\frac{1}{2}(x-8)(x+4)$

16.
$$y = \frac{3}{5}(x - 25)(x - 9)$$

17.
$$y = \frac{3}{4}(x-3)(x+3)$$
 18. $y = -(x-5)(x+5)$

18.
$$y = -(x - 5)(x + 5)$$

19.
$$y = \frac{2}{3}(x+10)(x+10)$$

a. Vertex:_____

b. *x*-inter(s) _____

GO

Topic: Vertex Form of a Quadratic Equation

Given the vertex form of a quadratic function, identify the vertex, intercepts, and vertical stretch of the parabola.

20.
$$y = (x + 2)^2 - 4$$

21.
$$y = -3(x+6)^2 + 3$$
 22. $y = 2(x-1)^2 - 8$

22.
$$y = 2(x-1)^2 - 8$$

23.
$$y = 4(x+2)^2 - 64$$

24.
$$y = -3(x-2)^2 + 48$$

25.
$$y = (x + 6)^2 - 1$$

d. Stretch _____

d. Stretch _____

d. Stretch

26. Did you notice that the parabolas in problems 11, 12, & 13 are the same as the ones in problems 23, 24, & 25 respectively? If you didn't, go back and compare the answers in problems 11, 12, & 13 and problems 23, 24, & 25.

Prove that a.

$$4(x-2)(x+6) = 4(x+2)^2 - 64$$

b.
$$-3(x+2)(x-6) = -3(x-2)^2 + 48$$

c.
$$(x+5)(x+7) = (x+6)^2 - 1$$

7.10 I've Got a Fill-in


A Practice Understanding Task




For each problem below, you are given a piece of information that tells you a lot. Use what you know about that information to fill in the rest.

1. You get this:	Fill in this:
$y = x^2 - x - 12$	Factored form of the equation:
	Graph of the equation:

2. You get this:	Fill in this:
	Vertex form of the equation:
$y = x^2 - 6x + 3$	
	Graph of the equation:
	or april or the equation.





5. You get this:	Fill in this:
$y = -x^2 - 6x + 16$	Either form of the equation other than standard form.
	Vertex of the parabola
	x-intercepts and y-intercept

6. You get this:	Fill in this:
	Either form of the equation other than
$y = 2x^2 + 12x + 13$	standard form.
<i>y</i> = <i>n</i> · == <i>n</i> · = <i>e</i>	
	Vertex of the parabola
	vertex of the parabola
	x-intercepts and y-intercept

Fill in this:
Either form of the equation other than
standard form.
Vertex of the parabola
v or con or one parazora
v intercents and v intercent
x-intercepts and y-intercept

7.10 I've Got a Fill-In – Teacher Notes

A Practice Understanding Task

Purpose: The purpose of this task is to build fluency in writing equivalent expressions for quadratic equations using factoring, completing the square, and the distributive property. Students will use the equations that they have constructed to analyze and graph quadratic functions.

Core Standards Focus:

F.IF.8 Write a function defined by an expression in different but equivalent forms to reveal and explain different properties of the function.

a. Use the process of factoring and completing the square in a quadratic function to show zeros, extreme values, and symmetry of the graph, and interpret these in terms of a context.

F.BF.1 Write a function that describes a relationship between two quantities.

b. Combine standard functions types using arithmetic operations.

A.SSE.3 Choose and produce an equivalent form of an expression to reveal and explain properties of the quantity represented by the expression.

a. Factor a quadratic expression to reveal the zeros of the function it defines.

b. Complete the square in a quadratic expression to reveal the maximum or minimum value of the function it defines.

Standards for Mathematical Practice:

SMP 6 - Attend to precision

SMP 7 - Look for and make use of structure

The Teaching Cycle:

Launch (Whole Class):

Students are familiar with the ideas in the task, so tell them that this task is to help them to be more flexible and fluent in using completing the square and factoring to graph quadratic functions. Be sure they understand the instructions and that in every case they should be prepared to justify and explain their work. Before students get started it might be useful to warn students to be careful to check the way that the graphs are scaled before proceeding on the problems



ALGEBRAI// MODULE 7 STRUCTURES OF EXPRESSIONS - 7.10

Explore (Small Group):

As students are working, listen for problems that are difficult or controversial for the discussion. In

particular, watch for student approaches to problems 5-7. Listen for how they are deciding to

either factor or complete the square, and then how they are working with the expressions with

 $a \neq 1$. Also note if students use area model diagrams or tables to support their thinking, as these

are strategies that can be shared with the class.

Discuss (Whole Class):

Begin the discussion with problem #3. Ask a student to present their work, explaining how they

identified the vertex and the vertical stretch of the parabola and used it to write the equation in

vertex form. Ask another student to show how they used the vertex form of the equation to get the

standard form. Ask the class how they could verify that the two equations are equivalent and then

test them to see if they are correct.

Move the discussion to #5 and ask the class what they know about the parabola just by

looking at the equation. They should be able to predict that it opens downward, that it doesn't have

a vertical stretch and that the y-intercept is 16. If some students wrote the equation in vertex form

and others used factored form, ask both to present. Ask the class to verify that the two forms are

equivalent. Use technology to project the graph of the function and discuss how the features appear

in the equations. Discuss the merits of each form and what information can be easily used in each

form.

Continue the discussion with problems 6 and 7, proceeding just like problem 5. Note that

problem #6 does not have x-intercepts and can't be factored. Students will be able to find the

vertex and know that the graph will not cross the x-axis.

Aligned Ready, Set, Go: Structures of Expressions 7.10



READY, SET, GO!

Name

Period

Date

READY

A golf-pro practices his swing by driving golf balls off the edge of a cliff into a lake. The height of the ball above the lake (measured in meters) as a function of time (measured in seconds and represented by the variable t) from the instant of impact with the golf club is

$$58.8 + 19.6t - 4.9t^2$$

The expressions below are equivalent:

$$-4.9t^{2} + 19.6t + 58.8$$
 standard form
 $-4.9(t - 6)(t + 2)$ factored form
 $-4.9(t - 2)^{2} + 78.4$ vertex form

- 1. Which expression is the most useful for finding how many seconds it takes for the ball to hit the water? Why?
- 2. Which expression is the most useful for finding the maximum height of the ball? Justify your answer.
- 3. If you wanted to know the height of the ball at exactly 3.5 seconds, which expression would help the most to find the answer? Why?
- 4. If you wanted to know the height of the cliff above the lake, which expression would you use? Why?

SET

Topic: Finding multiple representations of a quadratic

One form of a quadratic function is given. Fill-in the missing forms.

5 a. Standard Form	b. Vertex Form	8	c. Factored Form $y = (x+5)(x-3)$
d. <i>Table</i> (Include the vertex and at on each side of the vertex.)		e. <i>Graph</i>	
Show the first differences and the second differences.			

Need help? Visit www.rsgsupport.org

6 a. Standard Form


b. Vertex Form $y = -3(x-1)^2 + 3$

c. Factored Form

d. *Table* (Include the vertex and at least 2 points on each side of the vertex.)

ide of the vertex.) $\begin{array}{c|c} x & y \\ \hline \end{array}$

e. Graph



Show the first differences and the second differences.

7 a. Standard Form

 $y = -x^2 + 10x - 25$


b. Vertex Form

c. Factored Form

d. *Table* (Include the vertex and at least 2 points on each side of the vertex.)

x y

e. *Graph*



Show the first differences and the second

differences.

8 a. Standard Form


b. Vertex Form

c. Factored Form

d. *Table* (Include the vertex and at least 2 points on each side of the vertex.)

x y

e. Graph



Show the first differences and the second differences.

63

9 a. Standard Form		b. Vertex Form		c. Factored Form Skip this for now	
d. Table		i		e. <i>Graph</i>	
	X	У			
	0 1 2 3 4 5 6	12 2 -4 -6 -4 2			
Show the first differences and the second differences.		e second			

GO

Topic: Factoring Quadratics

Verify each factorization by multiplying.

10.
$$x^2 + 12x - 64 = (x + 16)(x - 4)$$

11.
$$x^2 - 64 = (x + 8)(x - 8)$$

12.
$$x^2 + 20x + 64 = (x + 16)(x + 4)$$

12.
$$x^2 + 20x + 64 = (x + 16)(x + 4)$$
 13. $x^2 - 16x + 64 = (x - 8)(x - 8)$

Factor the following quadratic expressions, if possible. (Some will not factor.)

14.
$$x^2 - 5x + 6$$

15.
$$x^2 - 7x + 6$$

14.
$$x^2 - 5x + 6$$
 15. $x^2 - 7x + 6$ 16. $x^2 - 5x - 36$

17.
$$m^2 + 16m + 63$$

18.
$$s^2 - 3s - 1$$

18.
$$s^2 - 3s - 1$$
 19. $x^2 + 7x + 2$

20.
$$x^2 + 14x + 49$$
 21. $x^2 - 9$


21.
$$x^2 - 9$$

22.
$$c^2 + 11c + 3$$

- 23. Which quadratic expression above could represent the area of a square? Explain.
- 24. Would any of the expressions above NOT be the side-lengths for a rectangle? Explain.

7.11 Throwing an Interception

A Develop Understanding Task




P

often very important because they are the solution to the equation f(x) = 0. In past tasks, we learned how to find the x-intercepts of the function by factoring, which works great for some functions, but not for others. In this task we are going to work on a process to find the x-intercepts of any quadratic function that has them. We'll start by thinking about what we already know about a few specific quadratic functions and then use what we know to generalize to all quadratic functions with x-intercepts.

- 1. What can you say about the graph of the function $f(x) = x^2 2x 3$?
 - a. Graph the function
 - b. What is the equation of the line of symmetry?
 - c. What is the vertex of the function?



a. What are the *x*-intercepts of $f(x) = x^2 - 2x - 3$?




- c. If you knew the line of symmetry was the line x = h, and you know how far the x-intercepts are from the line of symmetry, how would you find the actual x-intercepts?
- d. How far above the vertex are the *x*-intercepts?
- e. What is the value of f(x) at the x-intercepts?

ALGEBRA I // MODULE 7

STRUCTURES OF EXPRESSIONS - 7.11


Just to make it a little easier to talk about some of the features that relate to the intercepts, let's name them with variables. From now on, when we talk about the distance from the line of symmetry to either of the x intercepts, we'll call it *d*. The diagram below shows this feature.



We will always refer to the line of symmetry as the line x = h, so the two x-intercepts will be at the points

(h - d, 0) and (h + d, 0).


- 3. So, let's think about another function: $f(x) = x^2 6x + 4$
 - a. Graph the function by putting the equation into vertex form.



- b. What is the vertex of the function?
- c. What is the equation of the line of symmetry?
- d. What do you estimate the *x*-intercepts of the function to be?
- e. What do you estimate *d* to be?
- f. What is the value of f(x) at the *x*-intercepts?

STRUCTURES OF EXPRESSIONS - 7.11

- g. Using the vertex form of the equation and your answer to "f" above, write an equation and solve it to find the exact values of the *x* intercepts.
- h. What is the exact value of *d*?
- i. Use a calculator to find approximations for the *x*-intercepts. How do they compare with your estimates?
- 4. What about a function with a vertical stretch? Can we find exact values for the *x*-intercepts the same way? Let's try it with: $f(x) = 2x^2 8x + 5$.
 - a. Graph the function by putting the equation into vertex form.




- b. What is the vertex of the function?
- c. What is the equation of the line of symmetry?
- d. What do you estimate the *x*-intercepts of the function to be?
- e. What do you estimate *d* to be?
- f. What is the value of f(x) at the x-intercepts?

ALGEBRAI// MODULE 7

STRUCTURES OF EXPRESSIONS - 7.11

- g. Using the vertex form of the equation and your answer to "f" above, write an equation and solve it to find the exact values of the *x*-intercepts.
- h. What is the exact value of *d*?
- i. Compare your solution to your estimate of the roots. How did you do?
- 5. Finally, let's try to generalize this process by using: $f(x) = ax^2 + bx + c$ to represent any quadratic function that has *x*-intercepts. Here's a possible graph of f(x).



a. Start the process the usual way by putting the equation into vertex form. It's a little tricky, but just do the same thing with *a*, *b*, and *c* as what you did in the last problem with the numbers.

b. What is the vertex of the parabola?

ALGEBRA I // MODULE 7

STRUCTURES OF EXPRESSIONS - 7.11

- c. What is the line of symmetry of the parabola?
- d. Write and solve the equation for the *x*-intercepts just as you did previously.

- 6. How could you use the solutions you just found to tell what the *x*-intercepts are for the function $f(x) = x^2 3x 1$?
- 7. You may have found the algebra for writing the general quadratic function $f(x) = ax^2 + bx + c$ in vertex form a bit difficult. Here is another way we can work with the general quadratic function leading to the same results you should have arrived at in 5d.
 - a. Since the two *x*-intercepts are *d* units from the line of symmetry x = h, if the quadratic crosses the *x*-axis its *x*-intercepts are at (h d, 0) and (h + d, 0). We can always write the factored form of a quadratic if we know its *x*-intercepts. The factored form will look like f(x) = a(x p)(x q) where p and q are the two *x*-intercepts. So, using this information, write the factored form of the general quadratic $f(x) = ax^2 + bx + c$ using the fact that its *x*-intercepts are at h-d and h+d.
 - b. Multiply out the factored form (you will be multiplying two **trinomial** expressions together) to get the quadratic in standard form. Simplify your result as much as possible by combining like terms.

ALGEBRAI// MODULE 7

STRUCTURES OF EXPRESSIONS - 7.11

c.	You now have the same general quadratic function written in standard form in two different ways, one where the coefficients of the terms are a , b and c and one where the coefficients of the terms are expressions involving a , h and d . Match up the coefficients; that is, b , the coefficient of x in one version of the standard form is equivalent to in the other version of the standard form. Likewise c , the constant term in one version of the standard form is equivalent to in the other.
d.	Solve the equations $b = $ and $c = $ for h and d . Work with your equations until you can express h and d with expressions that only involve a , b and c .
e.	Based on this work, how can you find the x -intercepts of any quadratic using only the values for a , b and c ?
f.	How does your answer to "e" compare to your result in 5d?
up	of the functions that we have worked with on this task have had graphs that open ward. Would the formula work for parabolas that open downward? Tell why or why not ng an example that you create using your own values for the coefficients a, b, and c.



8.

7.11 Throwing an Interception – Teacher Notes A Develop Understanding Task

Note: The use of technology is required for this task.

Purpose: The purpose of this task is to develop the quadratic formula as a way of finding x-intercepts of a quadratic function that crosses the x-axis. In a future task this same quadratic formula will be used to find the roots of any quadratic, including those with complex roots whose graphs do not cross the x-axis. In this task, the quadratic formula is developed from the perspective of visualizing the distance the x-intercepts are away from the axis of symmetry. Therefore, if the axis of symmetry is the line x = h, and the x-intercepts are d units from the axis of symmetry, then the coordinates of the x-intercepts are (h - d, 0) and (h + d, 0). This fact is used to develop the quadratic formula from one perspective (see problem 7). The quadratic formula is also developed from the perspective of writing the general quadratic $f(x) = ax^2 + bx + c$ in vertex form by completing the square (see problem 5). The quadratic formula students develop in this task will probably look like $x = \frac{-b}{2a} \pm \frac{\sqrt{b^2 - 4ac}}{2a}$, written with two terms, one term to represent the location of the axis of symmetry, and the other term to represent the distance the x-intercepts are away from the axis of symmetry. You might want to discuss how this can

be more generally written as a single term, $x = \frac{-b \pm \sqrt{b^2 - 4ac}}{2a}$.

Core Standards Focus:

A.REI.4 Solve quadratic equations in one variable.

a. Use the method of completing the square to transform any quadratic equation in x into an equation of the form $(x - p)^2 = q$ that has the same solutions. Derive the quadratic formula from this form.

A.CED.4 Rearrange formulas to highlight a quantity of interest, using the same reasoning as in solving equations.



ALGEBRA I // MODULE 7 STRUCTURES OF EXPRESSIONS - 7.11

Standards for Mathematical Practice:

SMP 5 - Use appropriate tools strategically

SMP 7 - Look for and make use of structure

SMP 8 - Look for and express regularity in repeated reasoning

The Teaching Cycle:

Launch (Whole Class):

In this task, students will draw heavily upon their work from earlier in this module, particularly changing the form of a quadratic from standard form to vertex form. You may want to review that procedure with students before beginning this task, particularly reviewing an example of completing the square when the coefficient of the x^2 term is not 1. Here are some additional algebraic ideas that are used in this task that would be good to go over before students encounter these ideas in the task:

- We know how to multiply two binomial expressions to get a trinomial expression. How might we extend this process to multiplying two trinomial expressions?
- What algebra is implied by a squared-binomial term?
- How do we algebraically move between a perfect-square-trinomial and a squared-binomial?
- How do we complete the square when a trinomial is not a perfect-square?

Make sure that students are familiar with the vocabulary terms *binomial*, *trinomial* and *coefficient*. Point out the note at the beginning of this task: that the work we are doing in this task to find the *x*-intercepts of a quadratic function will help us solve quadratic equations where the quadratic expression is set equal to 0.

Explore (Small Group):

Listen for students who are surfacing the idea that the *x*-intercepts of a quadratic function are equidistant from the axis of symmetry. Watch for how they are using this idea in their work on questions 1-4.

Question 5 may prove somewhat difficult for students as they work on writing the general $\frac{1}{2}$

quadratic function
$$f(x) = ax^2 + bx + c$$
 in vertex form $f(x) = a\left(x + \frac{b}{2a}\right)^2 + \frac{4ac - b^2}{4a}$. You may



want to work through this together as a class and then let students return to the work of letting f(x) = 0 and solving for x. Identify students who can discuss the algebra of question 5 for the whole class discussion.

Question 6 is intended to give students an opportunity to apply the quadratic formula obtained in question 5 to a specific case. Identify students who can discuss this problem in the whole class discussion.

Question 7 provides an alternative algebraic approach for deriving the quadratic formula that does not include completing the square. Instead, students make use of the idea that the x-intercepts are d units from the axis of symmetry x = h and therefore, are located at h - d and h + d. Using the x-intercepts we can write the factored form of the function as

f(x) = a(x - h + d)(x - h - d). Multiplying out these trinomials leads to

 $f(x) = ax^2 - 2ahx + ah^2 - ad^2$. Matching the coefficients of the terms of this expression to the a, b and c of the standard form yields two equations:

b = -2ah and $c = ah^2 - ad^2$. Solving the first equation for h results in $h = \frac{-b}{2a}$. Substituting this

expression for h in the second equation and then solving for d yields $d = \pm \frac{\sqrt{b^2 - 4ac}}{2a}$. Since the x-

intercepts are d units from x = h they must be located at $x = \frac{-b}{2a} \pm \frac{\sqrt{b^2 - 4ac}}{2a}$.

Discuss (Whole Class):

The whole class discussion should focus on the key idea of the x-intercepts being d units from the axis of symmetry x = h and how this leads to a formula for finding the x-intercepts of any quadratic using only the coefficients a, b and c.

If needed, have a student present question 4 to illustrate the process of finding the *x*-intercepts using this process for a specific case. Then have a student present their work on question 5 for the general case. Have another student present their work on question 7 to illustrate an alternative algebraic method for finding the quadratic form (see the outline of this work in the explore notes).

Make sure to discuss question 6 so all students can use the quadratic formula regardless of whether they were successful in deriving it in question 5 or question 7.



ALGEBRA I // MODULE 7 STRUCTURES OF EXPRESSIONS - 7.11

If there is time, discuss some of the student examples for question 8. However, it is not necessary to discuss this question.

Aligned Ready, Set, Go: Structures of Expressions 7.11



READY, SET, GO!

Name

Period

Date

READY

Topic: Converting measurement of area, area and perimeter.

While working with areas is sometimes essential to convert between units of measure, for example changing from square yards to square feet and so forth. Convert the areas below to the desired measure. (Hint: area is two dimensional, for example $1 \text{ yd}^2 = 9 \text{ ft}^2$ because 3 ft along each side of a square yard equals 9 square feet.)

1.
$$7 \text{ yd}^2 = ? \text{ ft}^2$$

2.
$$5 \text{ ft}^2 = ? \text{ in}^2$$

3.
$$1 \text{ mile}^2 = ? \text{ ft}^2$$

4.
$$100 \text{ m}^2 = ? \text{ cm}^2$$

5.
$$300 \text{ ft}^2 = ? \text{ yd}^2$$


6.
$$96 \text{ in}^2 = ? \text{ ft}^2$$

SET

Topic: Transformations and parabolas, symmetry and parabolas

7a. Graph each of the quadratic functions.

$$f(x) = x2$$
$$g(x) = x2 - 9$$
$$h(x) = (x + 2)2 - 9$$



b. How do the functions compare to each other?

c. How do g(x) and h(x) compare to f(x)?

d. Look back at the functions above and identify the x-intercepts of g(x). What are they?

e. What are the coordinates of the points corresponding to the x-intercepts in g(x) in each of the other functions? How do these coordinates compare to one another?


Need help? Visit www.rsgsupport.org

71

8a. Graph each of the quadratic functions.

$$f(x) = x2$$
$$g(x) = x2 - 4$$
$$h(x) = (x - 1)2 - 4$$

b. How do the functions compare to each other?



c. How do g(x) and h(x) compare to f(x)?

d. Look back at the functions above and identify the x-intercepts of g(x). What are they?

e. What are the coordinates of the points corresponding to the x-intercepts in g(x) in each of the other functions? How do these coordinates compare to one another?

9. How can the transformations that occur to the function $f(x) = x^2$ be used to determine where the x-intercepts of the function's image will be?

GO

Topic: Function Notation and Evaluating Functions

Use the given functions to find the missing values. (Check your work using a graph.)

10.
$$f(x) = x^2 + 4x - 12$$

10.
$$f(x) = x^2 + 4x - 1$$

a. $f(0) =$ ____

b.
$$f(2) = ____$$

$$c. f(x) = 0, x =$$

$$d. f(x) = 20, \qquad x =$$

11.
$$g(x) = (x-5)^2 + 2$$

a.
$$g(0) = ____$$

b.
$$g(5) = _____$$

c.
$$g(x) = 0$$
, $x = ____$

d.
$$g(x) = 16$$
, $x = _____$

72

12.
$$f(x) = x^2 - 6x + 9$$

a.
$$f(0) =$$

b.
$$f(-3) =$$

c.
$$f(x) = 0$$
, $x = ____$

d.
$$f(x) = 16$$
, $x = _____$

14.
$$f(x) = (x+5)^2$$

a.
$$f(0) =$$

b.
$$f(-2) =$$

c.
$$f(x) = 0$$
, $x = _____$

d.
$$f(x) = 9$$
, $x = _____$

13.
$$g(x) = (x-2)^2 - 3$$

a.
$$g(0) =$$

b.
$$g(5) =$$

c.
$$g(x) = 0$$
, $x = _____$

d.
$$g(x) = -3$$
, $x = _____$

15.
$$g(x) = -(x+1)^2 + 8$$

a.
$$g(0) =$$

b.
$$g(2) = _____$$

c.
$$g(x) = 0$$
, $x = _____$

d.
$$g(x) = 4$$
, $x = _____$

7.12 Curbside Rivalry

A Solidify Understanding Task



CC BY apasciuto https://flic.kr/p/8nSbbe

Carlos and Clarita have a brilliant idea for how they will earn money this summer. Since the community in which they live includes many high schools, a couple of universities, and even some professional sports teams, it seems that everyone has a favorite team they like to root for. In Carlos' and Clarita's neighborhood these rivalries take on special meaning, since many of the neighbors support different teams. They have observed that their neighbors often display handmade posters and other items to make their support of their favorite team known. The twins believe they can get people in the neighborhood to buy into their new project: painting team logos on curbs or driveways.

For a small fee, Carlos and Clarita will paint the logo of a team on a neighbor's curb, next to their house number. For a larger fee, the twins will paint a mascot on the driveway. Carlos and Clarita have designed stencils to make the painting easier and they have priced the cost of supplies. They have also surveyed neighbors to get a sense of how many people in the community might be interested in purchasing their service. Here is what they have decided, based on their research.

- A curbside logo will require 48 in² of paint
- A driveway mascot will require 16 ft² of paint
- Surveys show the twins can sell 100 driveway mascots at a cost of \$20, and they will sell 10 fewer mascots for each additional \$5 they charge
- 1. If a curbside logo is designed in the shape of a square, what will its dimensions be?

ALGEBRA I // MODULE 7

STRUCTURES OF EXPRESSIONS - 7.12

A square logo will not fit nicely on a curb, so Carlos and Clarita are experimenting with different types of rectangles. They are using a software application that allows them to stretch or shrink their logo designs to fit different rectangular dimensions.

2. Carlos likes the look of the logo when the rectangle in which it fits is 8 inches longer than it is wide. What would the dimensions of the curbside logo need to be to fit in this type of rectangle? As part of your work, write a quadratic equation that represents these requirements.

3. Clarita prefers the look of the logo when the rectangle in which it fits is 13 inches longer than it is wide. What would the dimensions of the curbside logo need to be to fit in this type of rectangle? As part of your work, write a quadratic equation that represents these requirements.

Your quadratic equations on the previous two problems probably started out looking like this: x(x+n)=48 where n represents the number of inches the rectangle is longer than it is wide. The expression on the left of the equation could be multiplied out to get and equation of the form $x^2 + nx = 48$. If we subtract 48 from both sides of this equation we get $x^2 + nx - 48 = 0$. In this form, the expression on the left looks more like the quadratic functions you have been working with in previous tasks, $y = x^2 + nx - 48$.



ALGEBRA I // MODULE 7

STRUCTURES OF EXPRESSIONS - 7.12

4. Consider Carlos' quadratic equation where n = 8, so $x^2 + 8x - 48 = 0$. How can we use our work with quadratic functions like $y = x^2 + 8x - 48$ to help us solve the quadratic equation $x^2 + 8x - 48 = 0$? Describe at least two different strategies you might use, and then carry them out. Your strategies should give you solutions to the equation as well as a solution to the question Carlos is trying to answer in #2.

5. Now consider Clarita's quadratic equation where n=13, so $x^2+13x-48=0$. Describe at least two different strategies you might use to solve this equation, and then carry them out. Your strategies should give you solutions to the equation as well as a solution to the question Clarita is trying to answer in #3.

6. After much disagreement, Carlos and Clarita agree to design the curbside logo to fit in a rectangle that is 6 inches longer than it is wide. What would the dimensions of the curbside logo need to be to fit in this type of rectangle? As part of your work, write and solve a quadratic equation that represents these requirements.

ALGEBRA I // MODULE 7

STRUCTURES OF EXPRESSIONS - 7.12

7.	What are the dimensions of a driveway mascot if it is designed to fit in a rectangle that is 6
	feet longer than it is wide? (See the requirements for a driveway mascot given in the bulleted
	list above.) As part of your work, write and solve a quadratic equation that represents these
	requirements.

8. What are the dimensions of a driveway mascot if it is designed to fit in a rectangle that is 10 feet longer than it is wide? (See the requirements for a driveway mascot given in the bulleted list above.) As part of your work, write and solve a quadratic equation that represents these requirements.

Carlos and Clarita are also examining the results of their neighborhood survey, trying to determine how much they should charge for a driveway mascot. Remember, this is what they have found from the survey: *They can sell 100 driveway mascots at a cost of \$20, and they will sell 10 fewer mascots for each additional \$5 they charge.*



9. Make a table, sketch a graph, and write an equation for the number of driveway mascots the twins can sell for each \$5 increment, *x*, in the price of the mascot.

number of
mascots
purchased
100

10. Make a table, sketch a graph (on the same set of axes), and write an equation for the price of a driveway mascot for each \$5 increment, *x*, in the price.

number of	price of a
\$5 increments	mascot
in the price	
0	20
1	
3	
3	
4	
5	
6	
7	
8	
9	
10	

11. Make a table, sketch a graph, and write an equation for <u>the revenue</u> the twins will collect for each \$5 increment in the price of the mascot.

Revenue =
price ×
number of
mascots sold
2000

12. The twins estimate that the cost of supplies will be \$250 and they would like to make \$2000 in profit from selling driveway mascots. Therefore, they will need to collect \$2250 in revenue. Write and solve a quadratic equation that represents collecting \$2250 in revenue. Be sure to clearly show your strategy for solving this quadratic equation.

7.12 Curbside Rivalry – Teacher Notes

A Solidify Understanding Task

Purpose: In this task students use their techniques for changing the forms of quadratic expressions (i.e., factoring, completing the square to put the quadratic in vertex form, or using the quadratic formula to find the x-intercepts) as strategies for solving quadratic equations.

Core Standards Focus:

A.REI.4 Solve quadratic equations in one variable.

- a. Use the method of completing the square to transform any quadratic equation in x into an equation of the form $(x p)^2 = q$ that has the same solutions. Derive the quadratic formula from this form.
- b. Solve quadratic equations by inspection (e.g., for $x^2 = 49$), taking square roots, completing the square, the quadratic formula and factoring, as appropriate to the initial form of the equation. Recognize when the quadratic formula gives complex solutions and write them as a \pm bi for real numbers a and b.

Note for Mathematics II A.REI.4a, A.REI.4b

Extend to solving any quadratic equation with real coefficients, including those with complex solutions.

A.REI.7 Solve a simple system consisting of a linear equation and a quadratic equation in two variables algebraically and graphically. For example, find the points of intersection between the line y = -3x and the circle $x^2 + y^2 = 3$.

Note for Mathematics II A.REI.7

Include systems consisting of one linear and one quadratic equation. Include systems that lead to work with fractions.

A.CED.1 Create equations and inequalities in one variable and use them to solve problems. Include equations arising from linear and quadratic functions, and simple rational and exponential functions.



ALGEBRAI// MODULE7

STRUCTURES OF EXPRESSIONS - 7.12

Note for Mathematics II A.CED.1

Extend work on linear and exponential equations in Mathematics I to quadratic equations.

A.CED.4 Rearrange formulas to highlight a quantity of interest, using the same reasoning as in

solving equations. For example, rearrange Ohm's law V = IR to highlight resistance R.

Related Standards: A.SSE.1

Standards for Mathematical Practice:

SMP 2 - Reason abstractly and quantitatively

SMP 8 - Look for and express regularity in repeated reasoning

The Teaching Cycle:

Launch (Whole Class):

Before starting this task, it will be helpful to point out some terminology used with quadratics. In previous tasks we have been working with quadratic functions, $f(x) = ax^2 + bx + c$. In this task we will be working with quadratic equations, $ax^2 + bx + c = 0$. We will also refer to quadratic expressions, $ax^2 + bx + c$. Introduce students to the words *roots* and *zeroes* as ways of referring to the x-values that are solutions to a quadratic equation or the x-values that make a quadratic expression zero. These words can also be used to refer to the *x*-intercepts of a quadratic function that crosses the *x*-axis.

Point out to students that the goal of this task is to learn how to write and solve quadratic equations that arise from different problem situations, and that they will experiment with ways of using the form-changing techniques of previous tasks to support the work of solving quadratic equations.

As part of the launch, read through the context of the task and have students work on question 1 where they will write a simple quadratic equation, $x^2 = 48$ to represent the context. Make sure that students understand they can solve for *x* by taking the square root of both sides of this equation. They developed strategies for working with such radical expressions in *Radical Ideas*. Point out that while there are two numbers we can square to get 48, only the positive square root of



48 makes sense in this context. Also, for the purpose of the context, decimal approximations for square roots provide reasonable solutions.

Also start problem 2 together, before setting students to work on the task. Help students recognize that a quadratic equation that would represent this situation would be x(x+8) = 48. Ask students how they might solve such an equation. One method they might suggest would be guess and check. Another method might be to graph the quadratic y = x(x+8) and the line y = 48 and look for their points of intersection as they did in *Radical Ideas*. Point out that the task will help them think about more strategies, particularly algebraic strategies, which they might use on these types of problems.

Explore (Small Group):

After problem 3, the task suggests a typical algebraic strategy that might be used to solve these types of quadratic equations. For example, to solve question 4, multiply out the quadratic expression on the left, and then subtract 48 from both sides to get $x^2 + 8x - 48 = 0$ as an equivalent equation. Solving this equation would be like trying to find the x-intercepts of the quadratic function $f(x) = x^2 + 8x - 48$. Ask students how they might find these x-intercepts. Try to press for two strategies: finding the factors and determining what values of x make the factors zero; or, using the quadratic formula from the previous task *Throwing an Interception*. Similar approaches will work for questions 5-8. Help students see that factoring is an effective strategy sometimes, but not all quadratic expressions factor nicely. The quadratic formula can always be used to find the solutions, but can be cumbersome to apply.

Questions 9-12 provide an opportunity to create and solve a quadratic equation that deals with optimization. Students write two linear equations to represent the number of mascots to be sold, y = 100 - 10x, and the price of each mascot, y = 20 + 5x. The product of these two functions, y = (100 - 10x)(20 + 5x), represents the revenue collected. A typical question one might ask is to find the maximum revenue, which could be answered by finding the vertex of this function. In this task the question asked—when will the revenue equal \$2250—leads to a quadratic equation to be solved: 2250 = (100 - 10x)(20 + 5x). Again the strategy of changing the form of this equation to an equivalent quadratic equation where one side equals zero provides a path to a solution. Students may also recognize that the solution shows up in the table for revenue.



ALGEBRA I // MODULE 7 STRUCTURES OF EXPRESSIONS - 7.12

Discuss (Whole Class):

Focus the whole class discussion on this concept: Since the solutions to quadratic equations of the form f(x) = 0 occur when the function crosses the x-axis, setting factors equal to 0 or using the quadratic formula are reasonable strategies for solving such equations. Select problems from the task that seem the most helpful for your students, including at least one problem that can be solved by factoring and one that requires the quadratic formula.

Given time, it would be good to discuss questions 9-12 to remind students that (1) quadratics are the product of two linear functions, (2) the *x*-intercepts of the quadratic function are the *x*-intercepts of the individual linear factors, and (3) the vertex of the quadratic is on the axis of symmetry halfway between the *x*-intercepts. It would be good to connect the graphical, numerical and algebraic ways the solutions to this problem get represented by examining the data in the table of the revenue, by graphing the revenue function and the horizontal line representing the desired revenue, and by solving this equation using the quadratic formula.

Aligned Ready, Set, Go: Structures of Expressions 7.12



READY, SET, GO!

Name

Period

Date

READY

Topic: Finding x-intercepts for linear equations

1. Find the x-intercept of each equation below. Write your answer as an ordered pair. Consider how the format of the given equation either facilitates or inhibits your work.

a.	3x + 4y = 12	b. $y = 5x - 3$	c.	y - 5 = -4(x + 1)
d.	y = -4x + 1	e. $y - 6 = 2(x + 7)$	f.	5x - 2y = 10

- 2. Which of the linear equation formats above facilitates your work in finding x-intercepts? Why?
- 3. Using the same equations from question 1, find the y-intercepts. Write your answers as ordered pairs

a.
$$3x + 4y = 12$$

b.
$$y = 5x - 3$$

c.
$$y - 5 = -4(x + 1)$$

d.
$$y = -4x + 1$$

$$y = -4x + 1$$
 e. $y - 6 = 2(x + 7)$ f. $5x - 2y = 10$

f.
$$5x - 2y = 10$$

4. Which of the formats above facilitate finding the y-intercept? Why?

SET

Topic: Solve Quadratic Equations, Connecting Quadratics with Area

For each of the given quadratic equations, (a) describe the rectangle the equation fits with. (b)

What constraints have been placed on the dimensions of the rectangle?

Need help? Visit www.rsgsupport.org

5.
$$x^2 + 7x - 170 = 0$$

6.
$$x^2 + 15x - 16 = 0$$

7.
$$x^2 + 2x - 35 = 0$$

8.
$$x^2 + 10x - 80 = 0$$

Solve the quadratic equations below.

9.
$$x^2 + 7x - 170 = 0$$

10.
$$x^2 + 15x - 16 = 0$$

11.
$$x^2 + 2x - 35 = 0$$

12.
$$x^2 + 10x - 80 = 0$$

GO

Topic: Factoring Expressions

Write each of the expressions below in factored form.

13.
$$x^2 - x - 132$$

14.
$$x^2 - 5x - 36$$

15.
$$x^2 + 5x + 6$$

16.
$$x^2 + 13x + 42$$

17.
$$x^2 + x - 56$$

18.
$$x^2 - x$$

19.
$$x^2 - 8x + 12$$

20.
$$x^2 - 10x + 25$$

21.
$$x^2 + 5x$$

7.13 Perfecting My Quads

A Practice Understanding Task



CC BY William Warby

Carlos and Clarita, Tia and Tehani, and their best friend Zac are

all discussing their favorite methods for solving quadratic equations of the form $ax^2 + bx + c = 0$. Each student thinks about the related quadratic function $y = ax^2 + bx + c$ as part of his or her strategy.

<u>Carlos</u>: "I like to make a table of values for *x* and find the solutions by inspecting the table."

Zac: "I like to graph the related quadratic function and use my graph to find the solutions."

<u>Clarita</u>: "I like to write the equation in factored form, and then use the factors to find the solutions."

<u>Tia</u>: "I like to treat it like a quadratic function that I put in vertex form by completing the square. I can then use a square root to undo the squared expression."

<u>Tehani</u>: "I also like to use the quadratic formula to find the solutions."

Demonstrate how each student might solve each of the following quadratic equations.

Solve:	Carlos' Strategy	Zac's Strategy
$x^2 - 2x - 15 = 0$		
<u>Clarita's Strategy</u>	<u>Tia's Strategy</u>	<u>Tehani's Strategy</u>



ALGEBRA I// MODULE 7 STRUCTURES OF EXPRESSIONS - 7.13

Solve:	Carlos' Strategy	Zac's Strategy
$2x^2 + 3x + 1 = 0$		
<u>Clarita's Strategy</u>	<u>Tia's Strategy</u>	Tehani's Strategy

Solve:	Carlos' Strategy	Zac's Strategy
$x^2 + 4x - 8 = 0$		
x + 4x - 8 = 0		
<u>Clarita's Strategy</u>	<u>Tia's Strategy</u>	<u>Tehani's Strategy</u>



ALGEBRA I// MODULE 7 STRUCTURES OF EXPRESSIONS - 7.13

Describe why each strategy works.

As the students continue to try out their strategies, they notice that sometimes one strategy works better than another. Explain how you would decide when to use each strategy.

Here is an extra challenge. How might each student solve the following system of equations?

Solve the system: $y_1 = x^2 - 4x + 1$ $y_2 = x - 3$	<u>Carlos' Strategy</u>	Zac's Strategy
Clarita's Strategy	Tia's Strategy	<u>Tehani's Strategy</u>



7.13 Perfecting My Quads – Teacher Notes

A Practice Understanding Task

Purpose: In this task students use their techniques for changing the forms of quadratic expressions (i.e., factoring, completing the square to put the quadratic in vertex form, or using the quadratic formula to find the x-intercepts) as strategies for solving quadratic equations.

Core Standards Focus:

A.REI.4 Solve quadratic equations in one variable.

- a. Use the method of completing the square to transform any quadratic equation in x into an equation of the form $(x p)^2 = q$ that has the same solutions. Derive the quadratic formula from this form.
- b. Solve quadratic equations by inspection (e.g., for $x^2 = 49$), taking square roots, completing the square, the quadratic formula and factoring, as appropriate to the initial form of the equation. Recognize when the quadratic formula gives complex solutions and write them as $a \pm bi$ for real numbers a and b.

Note for Algebra I A.REI.4a, A.REI.4b

Extend to solving any quadratic equation with real coefficients, including those with complex solutions.

A.REI.7 Solve a simple system consisting of a linear equation and a quadratic equation in two variables algebraically and graphically. For example, find the points of intersection between the line y = -3x and the circle $x^2 + y^2 = 3$.

Note for Algebra I A.REI.7

Include systems consisting of one linear and one quadratic equation. Include systems that lead to work with fractions.

mathematics

vision project

ALGEBRA I// MODULE 7

STRUCTURES OF EXPRESSIONS - 7.13

equations arising from linear and quadratic functions, and simple rational and exponential functions.

Note for Algebra I A.CED.1

Extend work on linear and exponential equations in Mathematics I to quadratic equations.

A.CED.4 Rearrange formulas to highlight a quantity of interest, using the same reasoning as in

solving equations. For example, rearrange Ohm's law V = IR to highlight resistance R.

Related Standards: A.SSE.1

Standards for Mathematical Practice:

SMP 8 - Look for and express regularity in repeated reasoning

The Teaching Cycle:

Launch (Whole Class):

Remind students that in the previous task, *Curbside Rivalry*, they used various strategies to solve

quadratic equations that arose from various problem situations that Carlos and Clarita were trying

to resolve. In this task the focus is again on solving quadratic equations, but no contexts are

provided. Instead, students are to try out several different strategies and procedures for solving

the equations and to focus on the strengths and weaknesses of each method.

Read through the first part of the task handout with the class, and make sure they understand the

basic strategy each of the characters in the story plan to use. Then set students to work trying out

each of the strategies on a variety of problems.

Explore (Small Group):

As students work through the task they should notice that some strategies, such as factoring or

making a table, do not work as consistently as some other strategies, although they are effective

and easy to do when they do yield solutions. Encourage students to focus on the types of solutions

that seem to support each method. For example, making a table works better when the solutions

are integers, or at least rational numbers.

Discuss (Whole Class):

Mathematics Vision Project Licensed under the Creative Commons Attribution CC BY 4.0 mathematicsvisionproject.org

vision project

ALGEBRA I// MODULE 7

STRUCTURES OF EXPRESSIONS - 7.13

Focus the discussion on the questions "describe why each strategy works" and "explain how you

would decide when to use each strategy."

Illustrate the value of the graphical and numerical strategies by working through the last problem,

which involves a system of equations where one equation is quadratic and one equation is linear.

Point out how the graph and table give us a sense of what a solution to this system would mean.

Students may wonder about how to start an algebraic approach for these problems. Remind

students that with systems of equations we can sometimes set the equations equal to each other.

Doing so will lead to an equation that can be solved by rearranging the terms to get a quadratic

expression equal to 0.

Aligned Ready, Set, Go: Structures of Expressions 7.13



READY, SET, GO!

Name

Period

Date

READY

Topic: Symmetry and Distance

The given functions provide the connection between possible areas, A(x), that can be created by a rectangle for a given side length, x, and a set amount of perimeter. You could think of it as the different amounts of area you can close in with a given amount of fencing as long as you always create a rectangular enclosure.

1.
$$A(x) = x (10 - x)$$

Find the following:

a.
$$A(3) =$$

b.
$$A(4) =$$

c.
$$A(6) = d. A(x) = 0$$

e. When is
$$A(x)$$
 at its maximum? Explain or show how you know.

2.
$$A(x) = x (50 - x)$$

Find the following:

a.
$$A(10) =$$
 b. $A(20) =$

c.
$$A(30) =$$

c.
$$A(30) = d. A(x) = 0$$

e. When is A(x) at its maximum? Explain or show how you know.

3.
$$A(x) = x(75 - x)$$

Find the following:

a.
$$A(20) =$$

$$b. \ A(35) =$$

$$c A(40) =$$

$$c. \ A(40) = d. \ A(x) = 0$$

4.
$$A(x) = x(48 - x)$$

Find the following:

a.
$$A(10) =$$

b.
$$A(20) =$$

c.
$$A(28) =$$

d.
$$A(x) = 0$$

e. When is A(x) at its maximum? Explain or show how you know.

Need help? Visit www.rsgsupport.org

SET

Topic: Solve Quadratic Equations Efficiently

For each of the given quadratic equations find the solutions using an efficient method. State the method you are using as well as the solutions. You must use at least three different methods.

$$5. \quad x^2 + 17x + 60 = 0$$

6.
$$x^2 + 16x + 39 = 0$$
 7. $x^2 + 7x - 5 = 0$

7.
$$x^2 + 7x - 5 = 0$$

8.
$$3x^2 + 14x - 5 = 0$$

$$3x^2 + 14x - 5 = 0$$
 9. $x^2 - 12x = -8$ 10. $x^2 + 6x = 7$

10.
$$x^2 + 6x = 7$$

Summarize the process for solving a quadratic by the indicated strategy. Give examples along with written explanation, also indicate when it is best to use this strategy.


- 11. Completing the Square
- 12. Factoring
- 13. Quadratic Formula

GO

Topic: Graphing Quadratics and finding essential features of the graph. Solving systems of equations. Graph the quadratic function and supply the desired information about the graph.

$$14. f(x) = x^2 + 8x + 13$$

- a. Line of symmetry:
- b. x-intercepts:
- c. y-intercept:



mathematics


vision project

Need help? Visit www.rsgsuppoi

d. vertex:

15.
$$f(x) = x^2 - 4x - 1$$

- a. Line of symmetry:
- b. x-intercepts:
- c. y-intercept:
- d. vertex:



Solve each system of equations using an algebraic method and check your work!

16.

$$\begin{cases} 3x + 5y = 15 \\ 3x - 2y = 6 \end{cases}$$

$$\begin{cases} y = -7x + 12 \\ y = 5x - 36 \end{cases}$$

18. 19.

$$\begin{cases} y = 2x + 12 \\ y = 10x - x^2 \end{cases}$$

$$\begin{cases} y = 24x - x^2 \\ y = 8x + 48 \end{cases}$$

86